



ELECTRICAL INDEX

A**ADAPTER**

GROUNDING B54
OUTLET B54
PVC FEMALE B19
PVC MALE B19
SOCKET B54, B55

ADAPTERS

PHONE CORD B58

AIR CONDITIONER

PLUG B50

ALLIGATOR CLIPS B66**APPLIANCE**

LIGHT BULB B8

B**BALLAST B10****BATTERY**

CHARGING CLIPS B66

BELL

BUTTONS B64
INDOOR B64
WIRE B64

BOXES

ELECTRICAL WEATHERPROOF B12

BREAKER

CIRCUIT PROTECTOR B34

BROODER LAMP B57**BUG LIGHT**

INCANDESCENT B5

BUG LIGHT BULB

INCANDESCENT B5

BULB

FLAME SHAPE B9
REFRIGERATOR/OVEN B8

BULBS

12 VOLT B8
CIRCULAR FLUORESCENT B10
FLUORESCENT B5
FLUORESCENT GLOBE B6
GLOBE B6
HALOGEN B13
HIGH INTENSITY B8
INCANDESCENT B4
LED A STYLE B4
LED FLOOD B7
MERCURY B13
MICROWAVE B8
NIGHT LIGHT B8
TORPEDO B9

BUSHING

PLASTIC INSULATING B20

BUTTONS

BELL B64

C**CABLE**

AUDIO B63
CLIPS B63
CONNECTOR B21, B61
CRIMPER & CUTTER B62
"F" PLUGS B61
SPLITTERS B61

SWITCHES B61

VIDEO B63

CABLE CLIPS

COAX B63

CABLES

COAX B63
HDMI B63

CABLE STAPLE B16**CABLE TIES B73**

FLUORESCENT NYLON B72

CABLE TOOLS

COAX B62

CANOPY SWITCHES B51**CARTRIDGE FUSE B35****CEILING BOX B24****CEILING FAN**

ROUND PAN B27

CHARGING CLIPS

BATTERY B66

CIRCUIT BREAKER B31, B32

GFCI B31
HOMELINE B33
TANDEM B33

CIRCUIT PROTECTOR

MINI BREAKER B34

CIRCUIT TESTER B74**CLAMP**

GROUND B38
LAMP B57
WIRE B72

CLAMPS

BATTERY B66
CABLE B72
INSULATED B66
SANTOPRENE B72

CLIP

BATTERY B66
GROUNDING B30
TEST B66

CLIPS

ALLIGATOR B66
CABLE B63

CLOSURE PLUGS

WEATHERPROOF B12

COAX CABLES B63**COAX CABLE TOOLS B62****COAX CONNECTORS B61****COMPRESSION COUPLING B19****CONDUIT**

BENDER B17
BUSHING B20
CONNECTOR B20, B21
ELBOW B18
EMT B17
E.M.T. COUPLING B19
E.M.T. ELBOW B18
HANGER B23
LOCKNUT B20
PVC COUPLING B19
PVC SCH 40 B17
SERVICE ENTRANCE CAP B22
STRAP B23

CONNECTOR

COPPER B37
WIRE B37

CONNECTORS B51, B52

BULLET B69
BUTT B71
BUTT, 3-WAY B70
BUTT, 4-WAY B70
CLOSED END B70
COAX B61
HOUSEHOLD B53
PIGTAIL B71
SPLICE B70
STANDARD B52
TAP SPLICE B70
TWIST B70

COPPER LUGS B71**CORD**

CRIMPING TOOL B60
DRYER B50
LAMP B15

CORDS

EXTENSION B49
POWER SUPPLY B15
RANGE B50

CORD SWITCH B51**COUPLING**

E.M.T. COMPRESSION B19
E.M.T. SET SCREW B19
PVC CONDUIT B19

COVERS B29

BLANK B29
BLANK WEATHERPROOF B12
DUPLEX RECEPTACLE B29
GFCI WEATHERPROOF B12
LAMPHOLDER B11
RECEPTACLE WEATHERPROOF B12
ROUND B28
SQUARE B28
TOGGLE SWITCH B29
WEATHERPROOF, IN USE B12

CRIMPER & CUTTER

CABLE B62

CRIMPING

TOOLS B73

CRIMPING TOOL

HEADSET CORD B60
WIRE B60

CUTTER & CRIMPER

CABLE B62

D**DIMMER**

KNOB B43
SWITCH B43

DISCONNECTS

FEMALE B67
HEAT SHRINK B67
MALE B67
T-TAP B70

DRYER

OUTLET B40

DRYER CORD B50**E****ELBOW**

SERVICE ENTRANCE B18

**ELECTRICAL INDEX****ELECTRICAL**

CEILING FAN BOX B27
CEILING FAN - ROUND B27
OCTAGON BOX B27
OCTAGON EXTENSION B27
TESTERS B74

ELECTRICAL BOX

CEILING FAN, STEEL B27
CEILING, NON-METALLIC B24
EXTENSION, STEEL B27
NON-METALLIC B24
ROUND B25
STEEL B25, B26, B27
WEATHERPROOF B12

ELECTRICAL BOX COVER

HANDY B29
NON-METALLIC B28
STEEL B28

ELECTRICAL TAPE B39

LIQUID B39
VINYL B39

EXTENSION CORD

AIR CONDITIONER B50

EXTENSION CORDS B49**F****FISH TAPE**

REEL B16

FLOOD LIGHT

FLUORESCENT B6
HALOGEN B13
INCANDESCENT BULB B6
INDOOR REFLECTOR B7

FLUORESCENT

BALLAST B10
BULBS B5
CIRCULAR BULB B10
FLOOD LIGHT BULB B6
GLOBE BULB B6
LAMP HOLDER B10
STARTER B10
TUBES B10
YARD LIGHT B13

FUSE

BOX COVER B36
CARTRIDGE B35
KIT B36
PROTECTOR B34

FUSE KIT

CARDER B36

FUSES B34**FUSETRON B34****FUSTAT B34****G****GFI OUTLETS B41****GLOBE**

BULBS B6

GLOBE BULBS

FLUORESCENT B6
INCANDESCENT B6

GROMMETS

VINYL B74

GROUNDING CLIP B30**GROUND ROD B38**

CLAMP B38

GROUND SCREW B30**H****HALOGEN**

BULBS B13
DOUBLE ENDED B6
FLOOD LIGHT B13
FLOOD LIGHT BULB B6
WORK LIGHTS B13

HALOGEN LAMPS

DOUBLE ENDED B6

HANDSET CORD

UNTANGLER B59

HANDY BOX COVER B29**HDMI CABLES B63****HEAT LAMPS**

INFRARED B8

HIGH INTENSITY BULB B8**HOOK & LOOP**

STRAP B72

HOUSEHOLD

CONNECTORS B53
PLUGS B53

I**INCANDESCENT**

BUG LIGHT BULB B5
BULBS B4, B5
TUBULAR BULB B6

INFRARED HEAT LAMPS

RED & CLEAR B8

INSULATED CLAMPS B66**INSULATED STAPLE B16****K****KNOB**

DIMMER B43

KNOCK OUT SEAL B25**L****LAMP**

CLAMP B57

LAMP CORD B15**LAMPHOLDER**

COVERS B11
FLUORESCENT B10
KEYLESS B55, B56
PULL CHAIN B55, B56
PUSH THRU B56
SOCKET ADAPTER B56
THREE WAY TURN KNOB B56
TURN KNOB B56
WEATHERPROOF B11

LAMPS B57

BROODER & HEAT B57
CLAMP B57

LEAD

TEST B66

LED BULBS

A STYLE B4
FLOOD B7

LIGHT

FLOOD B13
TROUBLE B57
WORK B13

LIGHT BULB

MERCURY B13

LIGHT BULBS

APPLIANCE B8
BUG LIGHT B5
DECORATIVE B9
FLUORESCENT B5, B6, B10
HEAT LAMPS B8
HIGH INTENSITY B8
INCANDESCENT B4, B5, B6
NIGHT LIGHT B8
SHOW CASE B6

LIGHTING TIMERS B65**LIGHTS**

MOTION SENSOR B11
NIGHT B56
TROUBLE B57

M**MERCURY**

LIGHT BULBS B13
REPLACEMENT PARTS B13

MICROWAVE

BULBS B8

MOTION SENSOR

LIGHTS B11

MULTI-METERS B74**N****NIGHT LIGHTS B56**

BULBS B8

NM WIRE B15**NUT**

WIRE B37

O**OCTAGON BOX**

STEEL B27

OUTDOOR FLOODLIGHT B6**OUTLET B41**

ADAPTER B54
ADAPTER, GROUNDED B54
DRYER B40
GFI B41
GROUNDING B41
PLUGS B41
POWER B40
RANGE B40
SURFACE B40

OUTLET BOX

ROUND COVER B28
SQUARE COVER B28

OUTLET PLATE B48**P****PHONE**

CORD ADAPTERS B58
CORD COUPLERS B58
CRIMPING TOOL B60



ELECTRICAL INDEX

HANDSET CORD B59
LINE CORD B59
LINE EXTENSION CORDS B59
REPLACEMENT LINE PLUGS B60
WALL PLATE B58
WIRE B60
PHONE JACK B58
PLUG B51
AIR CONDITIONER B50
DRYER B50
DUAL POWER ATTACHMENT B50
RANGE B50
PLUGS
HOUSEHOLD B53
LOCKING B52
RUBBER B52
STANDARD B52
WEATHERPROOF COVER B12
PLUGS "F"
CRIMP-ON B61
TWIST-ON B61
POCKET TORCHES B74
POWER CENTERS B49
POWER OUTLET B40
POWER STRIP B42
PULL CHAIN EXTENSION B55

R

RANGE
OUTLET B40
PLUG B50
RANGE CORD B50
RECEPTACLES B41, B54
RECEPTACLE SWITCH
SQUARE COVERS B28
REPLACEMENT BULBS B13
RINGS & HOOKS B68
HEAT SHRINK B69
ROD
GROUND B38
ROUND COVER B28

S

SAFETY SWITCH
FUSIBLE B31
SCREW
GROUNDING B30
SET SCREW COUPLING
EMT B19
SJEW WIRE B15
SOCKET
ADAPTER B55
INTERIOR B55
SPEAKER WIRE B14
SPLITTERS
TWO-WAY B61
SPOTLIGHT
HALOGEN BULB B6
INDOOR REFLECTOR B7
STAPLE
CABLE B16
INSULATED B16
STARTER
FLUORESCENT B10

STRAP
E.M.T. ONE HOLE B23
PVC TWO HOLE B23
STRIPPER
TOOLS B73
SURFACE OUTLET B40
SURFACE SWITCH B44
SWITCH
3 - WAY B44
COVER, WEATHERPROOF B11
DECORATIVE B44
DIMMER B43
GROUNDING B45
& GROUNDING OUTLET B44
LOCK B45
QUIET B45
SAFETY B31
SURFACE B44
TOGGLE B51
TWO B44
VIDEO B61
SWITCH BOX B24
BEVELED CORNER B26
STEEL SHALLOW B26
SUPPORT B30
W/BRAKET B26
W/GRIP B26
SWITCH, DIMMER
REPLACEMENT KNOB B43
SWITCHES
CANOPY B51

T

TAPE
ELECTRICAL B39
FRICTION B39
TERMINALS
FLAG B69
HEAT SHRINK B69
HOOKS B68, B69
PIN B68
RINGS B68, B69
SPADES B68, B69
TERMINAL SET B66
TEST CLIPS B66
TEST CLIPS & LEADS B66
TESTER
CIRCUIT B74
TESTERS
ELECTRICAL B74
THERMOPLASTIC SERVICE
ENTRANCE CAP B22
THERMOSTAT WIRE B14
THHN WIRE B14
TIME DELAY CARTRIDGE B35
TIMERS
LIGHTING B65
TOGGLE SWITCH B51
TOOL KIT
COAXIAL B62
TORCHES
POCKET B74
TRANSFORMERS
CHIME B64

TROUBLE LIGHTS B57
ACCESSORIES B57
TUBULAR BULB
INCANDESCENT B6
TV WIRE
LEAD IN B14

U

UF WIRE B16
UTILITY BOX
STEEL HANDY B25

V

VIDEO CABLES B63
VIDEO STEREO
DUBBING KIT B63

W

WALL PLATE
75-OHM JACK B62
BLANK B46
COMBINATION B47
FLUSH MOUNT B58
MID SIZE, OUTLET B48
MULTIPLE OUTLET B47
OVERSIZED, OUTLET B48
SCREW B46
SINGLE OUTLET B46
SURFACE MOUNT B58, B62
WEATHERPROOF
BOXES B12
CLOSURE PLUGS B12
COVERS B11
COVERS, IN USE B12
SWITCH & COVER B11
WIRE
BELL B64
CONNECTOR B37
GARD B37
LAMP B15
NM B15
NUTS B37
SJEW B15
SPEAKER B14
THERMOSTAT B14
THHN B14
TIE MOUNT B74
TV LEAD IN B14
UF B16
WIRE CLAMP B72
WIRE TIE MOUNTS B74
WIRING KIT B68
WORK BOX B24
NON-METALLIC B24
WORK LIGHTS
FLUORESCENT B13
HALOGEN B13

Y
YARD LIGHT
FLUORESCENT B13



LED A STYLE BULBS



EARTHTRONICS

Item	Pack	Part #	HDI #
7 watt and 9.3 watt A19 Omni-directional EarthBulbs LED replaces 60 watt incandescent directional bulbs for over 75% energy savings. Medium screw base. PRODUCT FEATURES - This A bulb is Energy Star and provides 810 lumens, capable of dimming to less than 5% ≥300°beam angle provides full radial illumination - Chipset provides (LA19727D & LA19927D) 2700K soft light and (LA19950D) 5000K a natural light with a high color rendering rating of over 81 - New heat sync system provides improved aesthetics and performance			
7w (40w) 2700K 300* Beam	6	LA19727D	30060
9w (60w) 2700K 300* Beam	6	LA19927D	30061
9w (60w) 5000K 300* Beam	6	LA19950D	30063



INCANDESCENT GENERAL PURPOSE LAMPS

SYLVANIA

Item	Pack	Part #	HDI #
Incandescent Inside Frost Standard Bulbs. 120V Aluminum base. For most general lighting purposes. Inside frost reduces glare. <i>sold / price per pk</i>			
40W	12/4	11060	30034
Incandescent Inside Frost Standard Bulbs - Brass base. For most general lighting purposes. Inside frost reduces glare.			
300W	60	15737	30074
Incandescent Soft White Standard Bulbs - 120V Aluminum base. Coating on inside of bulb gives high degree of diffusion to soften shadows and reduce glare. <i>sold / price per pk</i>			
15W (Brass Base)	12/2	10015	30023
40W	12/4	10996	30035
Three Way Incandescent Bulbs - Brass base. Gives three levels of lighting. Used in household lamps.			
30/70/100W	12/1	19385	30075
50/100/150W	12/1	18060	30260
100W/200W/300W/ PS25 Mogul Base	12	158450	30347
Incandescent Clear Standard Bulbs - Used in enclosed diffusing equipment or in shielded reflectors which protect eyes from glare. <i>sold / price per pk</i>			
150W Brass Base	12/1	13125	30062
200W Brass Base	12/1	15476	30070



INCANDESCENT GENERAL PURPOSE LAMPS

SATCO

Item	Pack	Part #	HDI #
Incandescent Inside Frost Standard Bulbs - 120V Aluminum base. For most general lighting purposes. Inside frost reduces glare. <i>sold / price per pk</i>			
25W	12/2	S6050	30195
40W	12/4	S1711	30196
Incandescent Soft White Standard Bulbs - 120V Aluminum base. Coating on inside of bulb gives high degree of diffusion to soften shadows and reduce glare.			
40W Med Base	12/4	S1810	30338
Three Way Incandescent Bulbs - Brass base. Gives three levels of lighting. Used in household lamps. <i>sold / price per pk</i>			
30/70/100W Soft White	12/1	S1820	30253
50/100/150W Soft White	12/1	S1821	30255
Incandescent Clear Standard Bulbs - Household or Commercial use. Long Life, 750 average rated hours; 2670 lumens.			
25W Med Base 2-Pack	60	S6042	30336
150W Brass Base	12/1	S3946	30348
200W Brass Base	12/1	S3958	30349
300W Brass Base	12/1	S4959	30073

HALOGEN

SATCO



Item	Pack	Part #	HDI #
Halogen Excel - Replaces A19 incandescent bulb. 2 pack			
Halogen Clear (100W)	12/2	S2404	30337
Halogen Soft White (40W)	12/2	S2405	30200
Halogen Soft White (60W)	12/2	S2406	30201
Halogen Soft White (75W)	12/2	S2407	30202
Halogen Soft White (100W)	12/2	S2408	30341



Type A



Spiral

COMPACT FLUORESCENT GENERAL PURPOSE LAMPS**EARTHBULB**

Item	Pack	Part #	HDI #
Small compact spiral design. Micro T2 CFL is brighter, smaller in size. 2700K soft white color. Lead free lamp glass - will not discolor. "No Flicker" instant start. 0°F to 100°F operating range.			
Type A Compact Fluorescent Bulb			
4.9" 14W(60W)	48	AT14SW1B	30515
4.75" Dimmable 16W(60W)	12	AT16SW1B DIM	30523
Three Way Compact Fluorescent Bulb			
6.1" 13/20/25W (60/75/100W)	48	3W25SW1B	30514
Spiral Compact Fluorescent Bulb			
Mini 9W 2700K	48	CF9SW1BT2	30510
Mini 9W 5000K	48	CF9501BT2	30532
Mini 4.3" 13W (60W)	48	CF13SW1BT2	30511
Mini 13W 5000K	48	CF13501BT2	30533
Micro 3¾" 13W (60W) 4 Pack	12/4	CF13SW4BT2	30505
Micro 4¼" 18W(75W)	48	CF18SW1BT2	30512
Mini 18W 5000K	48	CF18501BT2	30534
Micro 4¼" 18W (75W) 2 Pack	24	CF18SW2BT2	30527
Mini 5.12" 23W (100W)	48	CF23SW1BT2	30513
Mini 23W 5000K	48	CF23501BT2	30535
Micro 4½" 23W (100W) 2 Pack	24	CF23SW2BT2	30524
Dimmable - 24W (100W)	12	CF24SW1BDIM	30526
High Lumen Spiral Compact Fluorescent Bulb			
5.4" 27W (100W) Soft White	48	CF27SW1B	30503
5.52" 32W (120W) Soft White	48	CF32SW1B	30504
6¾" 42W (150W) Soft White	12	CF42SW1B	30501

**INCANDESCENT ROUGH SERVICE BULB****AGS**

Item	Pack	Part #	HDI #
Designed to withstand jolts and rough handling on drop cords in garages, etc. sold / price per 4 pk			
50W	6/4	RS-50	295994
75W	6/4	RS-75	295995
100W	6/4	RS-100	295996

SYLVANIA

Item	Pack	Part #	HDI #
Brass base. Designed to withstand jolts and rough handling on drop cords in garages, etc. sold/price per pk			
75W	12/2	13001	30048
100W	12/2	13002	30057

SATCO


Item	Pack	Part #	HDI #
Brass base. Designed to withstand jolts and rough handling on drop cords in garages, etc. sold / price per 2 pk			
100W	12/2	S3971	30345

**INCANDESCENT BUG LIGHT BULB****SYLVANIA**

Item	Pack	Part #	HDI #
Yellow. Brass base. For outdoor lighting. Insects are not attracted to this bulb. sold / price per 2 pk			
60W	12/2	10390	30045

SATCO

Item	Pack	Part #	HDI #
Yellow bug light bulb has a special coating to block the wavelengths that attract flying insects. Bulb is equipped with a heavy-duty 130 volt filament, allowing it to last longer when operated at 120 volts. sold / price per 2 pk			
60W	12/2	S3938	30346

**INCANDESCENT TUBULAR SHOW CASE BULB****SATCO**

Item	Pack	Part #	HDI #
Used in showcase, aquarium, terrarium, etc. 5-5/8" length. T10 diameter. <i>sold / price each card</i>			
40W Inside Frost	10/1	S3703	30038
25W Clear	10/1	S3700	30030
40W Clear	10/1	S3702	30037

INCANDESCENT GLOBE BULBS**SYLVANIA**

Item	Pack	Part #	HDI #
3" diameter. Brass base. Gives pleasing illumination as fixtures themselves or in modern decorative fixtures. Medium base.			
Clear			
25W	6/1	14282	30209
40W	6/1	14283	30211
60W	6/1	14261	30213
White			
25W	6/1	14286	30210
40W	6/1	14287	30212
60W	6/1	14262	30214

SATCO

Item	Pack	Part #	HDI #
3" diameter. Brass base. Gives pleasing illumination as fixtures themselves or in modern decorative fixtures. Medium base.			
Clear			
25W	6	S3447	30343
40W	6	S3448	30265
60W	6	S3449	30267
White			
25W	6	S3440	30344
40W	6	S3441	30226

COMPACT FLUORESCENT GLOBE BULBS**EARTHBULB**

Item	Pack	Part #	HDI #
8000 hours lamp life. Energy Star Certified			
14W (60W)	12	GT14SW1B	30519

**DOUBLE ENDED HALOGEN LAMPS****SATCO**

Item	Pack	Part #	HDI #
Lamps deliver a crisp, white light. Perfect for display, accent and general lighting. A long life of 2,000 hours or more.			
100T3Q/CL R7S Base 78MM Short	12	S3480	30330
150T3Q/CI R7S Base 78MM Short	12	S3481	30331
150T3Q/CI R7S Base 118MM Long	12	S3494	30332
200T3QC; R7S Base 118MM Long	12	S3495	30333
300T3Q/CL R7S Base 118MM Long	12	S3496	30334
500T3Q/CL R7S Base 118MM Long	12	S3497	30335

PAR 38 HALOGEN XENON OUTDOOR FLOOD & SPOT LIGHT**SATCO**

Item	Pack	Part #	HDI #
Halogen spotlight. Made of hard glass to resist breakage from contact of hot bulb with rain or snow. Designed for outdoor use but can be used indoors.			
70PAR38/HAL/XEN/SP	15	S2256	30067
Halogen floodlight. Made of hard glass to resist breakage from contact of hot bulb with rain or snow. Designed for outdoor use but can be used indoors.			
39PAR38/HAL/XEN/FL	15	S2246	30235
60PAR38/HAL/XEN/FL	15	S2248	30234
70PAR38/HAL/XEN/FL	15	S2257	30240
80PAR38/HAL/XEN/FL	15	S2259	30239

PAR 38 OUTDOOR FLOODLIGHT**EARTHBULB**

Item	Pack	Part #	HDI #
Compact Fluorescent Reflectors - Easily replaceable. Greater light output and 80% energy savings. 2700k - rated at 10,000 hours. UL Listed. For wet locations.			
23W (100W) PAR38	6	PA23S-W1B	30521



L3BR310D



L3P381940DW/40

LED FLOOD BULBS**EARTHTRONICS**

Item	Pack	Part #	HDI #
LED BR Flood Bulb - EarthBulb LED floodlight replaces 65 watt incandescent floodlights for over 80% energy savings. Great for use in dimming recessed lighting, track lighting and display lighting applications. Multi-Chipset high power LED and an advanced cooling system provides for 40,000 hours of LED life. Medium screw base. Energy Star rated product. PRODUCT FEATURES • Dimming BR30 flood light is provides 685 lumens, capable of dimming to less than 5% • Full 110° beam angle provides full radial illumination • Chipset provides 3000K with a high color rendering Electrical rating of over 80			
BR30 10w (65w) 2700K 120° Beam	6	L3BR310D	30071
LED PAR Flood Bulb Wet Location - EarthBulb LED floodlight replaces 120 watt incandescent floodlights for over 85% energy savings. 3000K color of light is standard. Great for use in dimming recessed lighting, track lighting and display lighting applications. High power LED and an advanced cooling system provides for 40,000 hours of LED life. Medium screw base. PRODUCT FEATURES • Dimming PAR38 flood light provides 1250 lumens, capable of dimming to less than 5% • 40° beam angle provides a flood, not spot light • Lensed single chip design look like halogen when powered on • Chipset provides 3000K white light with a high color rendering rating over 80 • Wet rated UL and suitable for exterior locations			
PAR38 19w (120w) 4000K 40° Beam	6	L3P381940DW/40	30085



Floodlight



Spotlight



R20



R30



R40

INDOOR REFLECTOR FLOOD & SPOT LIGHT**SYLVANIA**

Item	Pack	Part #	HDI #
Floodlight Brass base. Designed primarily for indoor use. Inside Frost			
45R20FL	60	15697	30225
65BR30FL	24	15165	30230
Spotlight Brass base. Designed primarily for indoor use. Inside Frost			
65BR30SP	24	15149	30053

SATCO

Item	Pack	Part #	HDI #
Floodlight Brass base. Designed primarily for indoor use. Inside Frost			
45R20FL	12	S3229	30220
65BR30FL	12	S2808	30229
65BR40FL	24	S2853	30342

EARTHBULB

Item	Pack	Part #	HDI #
Compact Fluorescent Floodlights - Soft White color is standard. Great for use in recessed lighting, track lighting and display lighting applications. Electronic ballast provides for instant on, no flicker starting. Medium screw base.			
14W (50W) R20	24	R214SWB	30516
16W (65W) R30	6	R316SW1B	30517
16W (65W) R30 - 3500K	12	R316351B	30525
16W (65W) R30 Dimmable	12	R316SW1B DIM	30528
23W (120W) R40	6	R423351B	30520



S4998



S4751



S4999

RED & CLEAR INFRARED HEAT LAMPS**SATCO**

Item	Pack	Part #	HDI #
Medium brass base, Red heat lamp, and 5000 Hours.			
250W R40	12	S4998	30307
120 Volt E26 Medium Base Red 5000 Hour Weather Proof Infrared Heat Lamp			
175W BR38	12	S4751	30215
115-125V. Brass base. Used for drying and heating in homes and farms. Used for paint and enamel baking. Clear. Medium base.			
240W 250R40/1	12	S4999	30500

**Bi Pin Lamp
12 VOLT BULBS**

S3461

S3462
S3463**SATCO**

Item	Pack	Part #	HDI #
Bi Pin Lamp			
20T3/CL G4 Base	12	S3468	30317
35T4/CL GY6.35 Base	12	S3469	30318
Floodlight			
20MR16/FL GX5.3 Base 12V	12	S3461	30316
50MR16/FL GX5.3 Base 12V	12	S3463	30320
Spotlight			
50MR16/NSP GX5.3 Base	12	S3462	30319

HIGH INTENSITY BULB**SYLVANIA**

Item	Pack	Part #	HDI #
Intermediate base. For use in high intensity lamps. 1 per card			
1/40 S11N/BL 40W	6	13607	30036

**NIGHT LIGHT BULBS****SYLVANIA**

Item	Pack	Part #	HDI #
Medium base. For night lights, nurseries and other small appliances. 1 per card			
White 7½W	12	19433	30022
Candelabra base. For night lights, nurseries and other small appliances. 2 per card			
4W White	12/2	13538	30251

SATCO

Item	Pack	Part #	HDI #
Candelabra base. For night lights, nurseries and other small appliances. 2 per card			
4C7 Clear	12	S4724	30311
4W Clear	20/2	S3797	30250
7W Clear 7C7/CL/CD	20/2	S3791	30077
7W White 7C7/WH/CD	20/2	S3792	30078

APPLIANCE BULB

S4717

S3917

SATCO

Item	Pack	Part #	HDI #
Candelabra base. For use in small appliances or night lights. 2 per card			
6W Clear 6S6/CL	12/2	S4717	30017
Intermediate Base Microwave Clear Bulb - 1 per card			
40W T8 130V	10	S3917	30315

REFRIGERATOR/OVEN BULB**SYLVANIA**

Item	Pack	Part #	HDI #
Medium base. For oven or refrigerator. 1 per card			
40A15/CL 40W Clear	12	10129	30033

SATCO

Item	Pack	Part #	HDI #
Medium base. For oven or refrigerator. 1 per card			
40W Clear 40A15/CL	20	S3720	30032
40W A15 Frosted	20	S3721	30308
60A15/CL Clear	20	S3739	30309
60A15/F Frosted	20	S3740	30310

**DECORATIVE FLAME SHAPE BULB**

SATCO

Item	Pack	Part #	HDI #
Captures the tapered look of a flame in a slight breeze. 2 per card			
Candelabra Base			
25W Frost	10/2	S3778	30002
40W Frost	10/2	S3779	30205
60W Frost	10/2	S3763	30015
25W Clear	10/2	S3774	30001
40W Clear	10/2	S3775	30207
60W Clear	10/2	S3762	30208
Medium Base			
25W Clear	10/2	S3764	30009
40W Clear	10/2	S3765	30008
60W Clear	10/2	S3766	30206

**Earthbulb****DECORATIVE BULB BLUNT TIP**

EARTHBULB

Item	Pack	Part #	HDI #
Candle Shape Bulb - Soft White color is standard. This decorative CFL easily fits in fan lights, decorative fixtures and wall sconces. Electronic ballast delivers instant, no flicker starting. Medium screw base.			
14W (60W)	48/1	CT14SW-1B	30529

**DECORATIVE BULBS**

SATCO

Item	Pack	Part #	HDI #
Candelabra Base Incandescent			
15W 130V T7 Clear	12	S4718	30313
Incandescent Light Bulb			
7 1/2S11 120V (carded 2 pack)	20	S3794	30312
Intermediate E17 - 2500 hours			
25W T8/N Clear	12	S4720	30314



S3731 S3782 S3785
S3732 S3783 S3786
S3793 S3784 S3787

TORPEDO DECORATIVE BULBS

SATCO

Item	Pack	Part #	HDI #
25B11 Clear Med Base 2/CD	10	S3731	30321
40B11 Clear Med Base 2/CD	10	S3732	30322
60B11 Clear Med Base 2/CD	10	S3793	30323
25B9 1/2 Clear Cand Base 2/CD	10	S3782	30324
40B9 1/2 Clear Cand Base 2/CD	10	S3783	30325
60B10 Clear Cand Base 2/CD	10	S3784	30326
25B9 1/2 F Frosted Cand Base 2/CD	10	S3785	30327
40B9 1/2 F Frosted Cand Base 2/CD	10	S3786	30328
60B10/F Frosted Cand Base 2/CD	10	S3787	30329

**CIRCULAR FLUORESCENT BULB**

SATCO

Item	Pack	Part #	HDI #
Cool white. Rapid start. 4 pin base. Individual sleeve.			
8½" - 22W FC8T9CW	12	S6500	30079
12" - 32W, FC12T9CW	12	S6503	30080

FLUORESCENT TUBES

SATCO / SYLVANIA


Item	Pack	Part #	HDI #
High Output - Cool white. Recessed bi-pin. Unsleeved			
T12 96", 95W, 1½" Diameter F96T12CWHO/ES	15	25129	30110
Energy Saver Instant-Start Slimline - Cool white. Single pin. Unsleeved			
F96T8/841/ECO 59w 1" Diameter Cool White	24	S6543	30111
T12 96", 60W, 1½" Diameter F96T12CW/ES	15	423194	30108
4' Standard Rapid Start Lamps - 40 watt T12 Med Bipin 2000 Hrs 4100K 87 CRI			
F40CW	30	24441	30109
Preheat Rapid Start - Cool White. Bi-Pin. Sleeved.			
T8 1" diameter 18", 15W F15T8/CW	24	S7949	30086
T12 1½" diameter 18", 15W F15T12/CW	30	21532	30087
T12 1½" diameter 24", 20W F20T12/CW	30	S6565	30088
T8 1" diameter 36", 30W F30T8/CW	24	23116	30089
T12 1½" diameter 36", 30W F30T12/CW	30	23476	30114

SATCO

Item	Pack	Part #	HDI #
700 Series Excellent value for general purpose lighting			
T8 48", 32W 1" Diameter F32T8/741	30	S8415	30530
800 Series Great color characteristics for office or retail locations			
T8 48", 32W 1" Diameter F32T8/841	30	S8420	30531

**IOP2P59SC35I****BALLAST****8G1085GLL**

Item	Pack	Part #	HDI#
For T-12, F30, F34, F40 single or double bulb fixture			
	10	ICN-2S40-N	30301
For T12, F72, F96 single or double bulb fixture			
	6	ICN-2P60-SC	30303
Fits T8, F72, F96 single or double bulb fixture			
	10	IOP2P59SC35I	30305
For use with T8, F17, F25, F32 - 3 or 4 bulb fixtures			
	10	ICN4P32N35I	30306
For FC16T9/CW or FC12T9/CW			
	10	8G1085GLL	30302

**FLUORESCENT LAMPHOLDER**

COOPER WIRING

Item	Pack	Part #	HDI #
For medium bi-pin lamps. Slide on mounted with captive nut.			
White	10	2509W	20176

**FLUORESCENT STARTER**

FEIT ELECTRIC

Item	Pack	Part #	HDI #
All purpose standard heavy duty starter. Accurately timed for efficient light starting and long lamp life.			
FS2 14/15/20w Tubes	10	FS2-10	20063
FS4 30/40W Tubes	10	FS4-10	20065



5193-5



5197-5



5189-5

WEATHERPROOF COVERS**RACO**

Item	Pack	Part #	HDI #
4" Round Covers - Gasket and screws included. UL listed. Die cast construction. Carded			
Single 1/2" Outlet	6	5193-5	20317
Three 1/2" Outlet	6	5197-5	20319
Rectangular Cover - Three 1/2" outlets. Gasket, screws and two closure plugs included. UL listed. Die cast construction. Carded			
White	6	5189-6	20326
Gray	6	5189-5	20312



5606-5



5624-5



5625-5

WEATHERPROOF LAMPHOLDER**RACO**

Item	Pack	Part #	HDI #
For 75 - 150W PAR 38 lamps. Locking swivel knuckle for pin positive lamp positioning. Porcelain socket, inside gasket, 1/2" locknut, 6" leads. Rugged metallic construction. UL listed. Carded			
White	6	5606-6	20338
Gray	6	5606-5	20315
4" Round Cover & Lampholder Combination - Weatherproof cover and lampholder for 75 - 150W PAR 38 lamps. With gaskets and screws. Rugged metallic construction. UL listed. Carded			
Single Lamp Gray	4	5624-5	20321
Two Lamp Gray	4	5625-5	20323

**WEATHERPROOF SWITCH & COVER****RACO**

Item	Pack	Part #	HDI #
Vertical mount. Device mounted Includes installation hardware. For use where weatherproof protection is required for on/off type switch.			
Gray Carded	6	5121-5	20311
White Bulk	6	5121-1	20308



L-5999WH



L-999WH

MOTION SENSOR LIGHTS**DESIGNERS EDGE**

Item	Pack	Part #	HDI #
High impact and weather resistant non-metallic construction. Adjustable time & sensitivity settings. Sealed 110° motion sensor for protection against weather conditions. Fully assembled. Bulbs not included. UL & CUL listed			
White	6	L-5999H	391153
Halogen - Die-cast metal design with new eyebrow for more light control. Adjustable time & sensitivity settings. Sealed 180° motion sensor protects against weather conditions. Switchable from motion to dusk to dawn mode. LED light shows unit as operating. Pebbled glass lens. Complete with one 150 watt halogen bulb. Available in White. UL & CUL listed			
White	6	L-999WH	391154

**IN USE WEATHERPROOF COVERS****RACO**

Item	Pack	Part #	HDI #
Weatherproof covers are designed for use whenever weatherproof protection is required while an outlet is in use. High impact polycarbonate construction. Tinted lid. Padlocked design.			
Horizontal	10	5740-0	20296
Vertical	10	MM410C	20314

**WEATHERPROOF BOXES****RACO**

Item	Pack	Part #	HDI #
Rectangle Box - 4 1/2 x 2 3/4", 2" deep. Die cast aluminum with lugs. Three 1/2" thread outlets. Two closure plugs included. UL listed for wet locations. Carded			
White	6	5320-6	20334
Gray	6	5320-5	20313
Round Box - 4" round. 1 1/2" deep. Die cast aluminum with lugs. Five threaded outlets. Four closure plugs. UL listed for wet locations. Carded			
White	6	5361-6	20336
Gray	6	5361-5	20391

**WEATHERPROOF COVERS****DESIGNERS EDGE**

Item	Pack	Part #	HDI #
Double Receptacle - UL listed for wet locations. Rugged metallic construction. Self closing lids. Gasket and hardware included. Carded			
White	6	5180-6	20310
Gray	6	5180-5	20307
GFCI Cover - UL listed for wet locations. Rugged metallic construction. Self closing lid. Gaskets and screws included. Carded			
Horizontal			
White	6	5101-6	20300
Gray	6	5101-5	20318
Vertical			
White	6	5103-6	20306
Gray	6	5103-5	20320
Blank Cover - UL listed for wet locations. Rugged metallic construction. Gasket and screws included. Carded			
White	6	5173-6	20309
Gray	6	5173-5	20397

**WEATHERPROOF CLOSURE PLUGS****RACO**

Item	Pack	Part #	HDI #
For use with Bell weatherproof boxes, extension adapters, cluster covers and round splice boxes to seal off unused outlets.			
White	12	5269-6	20344
Gray	12	5269-5	20322

**WORK LIGHTS**

Item	Pack	Part #	HDI #
Quartz Halogen Work Light - Die cast aluminum housing. Lightweight tubular frame. Hinged door frame. Safety wire guard. Foam Grip Handle			
500W	6	PZ-1002	20708
Halogen 2-in-1 Twin Head Tripod Work Light - Telescopes from 40" to 67". Portable sled base and tripod base included. Weatherproof on/off switches. Complete with (2) two 500 watt halogen bulbs.			
1000W	2	PZ-1005	20710

**HALOGEN REPLACEMENT BULBS****DESIGNER'S EDGE**

Item	Pack	Part #	HDI #
3" Length			
150W Quartz Halogen	10	L-17	20714

**HALOGEN FLOOD LIGHT****DESIGNER'S EDGE**

Item	Pack	Part #	HDI #
All metal construction. Patented eyebrow frame. Mounting arm with 1/2" IPS thread. Complete with 300 watt halogen bulb			
300W, Brass Finish	12	L-30BR	20707

**L-1804****HS565****MERCURY LIGHT BULB & PARTS****H39KC-175/DX**

Item	Pack	Part #	HDI #
Extension Arm - Optional 24" extension arm for mercury vapor light. Includes bracket and hardware.			
	12	L-1804	20721
Photo Control - Replacement for photo control mercury vapor lights. Fits all lamps with locking type control receptacles.			
	12	HS565	20719
Replacement Bulb - Replacement bulb for 175W mercury vapor lamps. Mogul base.			
	6	H39KC-175/DX	20713

**FLUORESCENT YARD LIGHT & BULB****DESIGNER'S EDGE**

Item	Pack	Part #	HDI #
Compact Fluorescent Yard Light - 10" acrylic reflector Output equivalent to 300 watt halogen bulb. Dusk to dawn button photocell. Complete with 65 watt mogul base fluorescent bulb. Limited 2 year warranty UL & CUL Listed			
65W	4	L-1755	20705
Compact Fluorescent Replacement Bulb			
65W	10	PLF65/65	20709

**THERMOSTAT WIRE****COLEMAN CABLE**

Item	Pack	Part #	HDI #
Conductor 18 AWG soft annealed solid copper per ASTM B3-90. PVC thermostatic insulation, temperature 60 degrees Celsius. Used for thermostat controls, heating and air conditioning installations, burglar alarm systems, intercom systems and doorbells. PVC insulation UL13 for power limited circuit cable for other than plenum, riser, or tray uses and UL1581 approved.			
18/2 500' Reel	4	55302-66-07	15051
18/4 250' Reel	4	55304-66-07	15052

**SPEAKER WIRE****COLEMAN CABLE**

Item	Pack	Part #	HDI #
Parallel wire, power limited circuit cable, -20 Celsius to 105 Celsius. Used for stereos and hi-fi systems, home theater sound systems, lamps, and radios. Soft annealed copper per ASTM B3-90 conductor and PVC. UL Type CL2, UL1581 and UL13 approved.			
24/2 500' Reel	1	94601-66-18	15025
Two bare copper conductors laid flat with integral PVC insulation and jacket. Clear jacket construction has one bare copper and one tinned copper conductor. Temperature rated from -20 to 60 degrees C, operating voltage 300 volts maximum. UL Standard 13 & 444, CSA C22.2 No. 214, NEC Article 725 & 800..			
18/2 500' Reel	1	94603-66-18	15040

**TV LEAD IN WIRE****COLEMAN CABLE**

Item	Pack	Part #	HDI #
300 OHM. Flat twin lead. 20/2. Polyethylene insulation, low loss line.			
250' Brown	1	60148-04-07	15053

**THHN BUILDING WIRE****COLEMAN CABLE**

Item	Pack	Part #	HDI #
Can replace TW, THW-RHH and RHW. Thermoplastic PVC 90 degrees Celsius nylon armored machine tool, building or fixture wire. UL Listed as 90 degrees MYW, 105 degrees CAWM moisture, oil and gasoline resistant, 600 volt. Premium grade flame retardant PVC jacket.			
Red 500' Reel	4	12RED-STRX500	15045
Black 500' Reel	4	12BK-STRX500	15047
White 500' Reel	4	12WHT-STRX500	15049
Green 500' Reel	4	12GRN-STRX500	15046

**POWER SUPPLY CORDS - SJEW****COLEMAN CABLE**

Item	Pack	Part #	HDI #
For hard usage applications in accordance with NEC. Used for portable tools and lamps, pumps, portable farm equipment. Soft annealed stranded copper per ASTM B3-90 conductor. TPE insulation and jacket. UL62, UL1581 and CSA-C22.2 No.49 approved.			
250' Reel - Black			
12/3	1	23388-04-08	15065

**LAMP CORD****COLEMAN CABLE**

Item	Pack	Part #	HDI #
Thermoplastic PVC jacket, not for hard usage in accordance with NEC. Used for lamps, small appliances and radios. Soft annealed stranded copper per ASTM B3-90 conductor. PVC insulation and UL62, UL1581 Listed.			
18/2 250' Reel			
Brown	1	60000-66-07	15035
White	1	60000-66-01	15037
Black	1	60000-66-08	15039
Gold	1	60000-66-19	15041
Clear	1	60000-66-18	15043
16/2 250' Reel			
Brown	1	60126-66-07	15061

**NM WIRE****SOUTHWIRE COMPANY**

Item	Pack	Part #	HDI #
NM Wire - Inner conductors are type THHN, rated 90 degrees Celsius, 600 volt. Solid strands. Outer jacket is PVC rated at 75 degrees Celsius. May be fished through walls, ceilings, and masonry blocks. Use for new wiring or replacement wiring. Only for use in normally dry locations. UL Listed. /2 = 2 insulated wires with bare ground. /3 = 3 insulated wires with bare ground.			
14/2			
25'	10	14/2NM-WGX25	16020
50'	10	14/2NM-WGX50	16021
100'	5	14/2NM-WGX100	16022
12/2			
25'	10	12/2NM-WGX25	16023
50'	10	12/2NM-WGX50	16024
100'	5	12/2NM-WGX100	16025
125' Coil			
8/3	1	8/3NM-WGX125	15017
6/3	1	6/3NM-WGX125	15022
250' Carton			
14/2	1	14/2NM-WGX250	15001
14/3	1	14/3NM-WGX250	15005
12/2	1	12/2NM-WGX250	15007
12/3	1	12/3NM-WGX250	15011
10/2	1	10/2NM-WGX250	15013
10/3	1	10/3NM-WGX250	15015

**UF WIRE****SOUTHWIRE COMPANY**

Item	Pack	Part #	HDI #
UF Wire - Type THHN insulation, rated 90 degrees Celsius, 600 volt. Gray PVC jacket. For applications of direct burial, dwellings not exceeding 3 floors above grade, underground feeder to outdoor lighting or apparatus, exposed or concealed wiring in damp, moist, wet, dry, and corrosive locations, general branch circuit wiring and new wiring or replacement wiring. JC-30B Federal specification, ASTM B-3, ASTM B-8 and NY state DOS 16120-880923-2002. UL Listed. /2 = 2 insulated wires with bare ground. /3 = 3 insulated wires with bare ground.			
14/2			
25'	10	14/2UF-W/GX25	16026
50'	10	14/2UF-WGX50	16027
100'	5	14/2UF-WGX100	16028
12/2			
25'	10	12/2UF-W/GX25	16029
50'	10	12/2UF-WGX50	16030
100'	5	12/2UF-WGX100	16031
250' Carton			
14/2	1	14/2UF-W/GX250	15021
12/2	1	12/2UF-W/GX250	15019
10/2	1	10/2UF-W/GX250	15024
1000' Reel			
12/2	1	12/2UF-W/GX1000	15023

**INSULATED STAPLE****NATIONAL**

Item	Pack	Part #	HDI #
V7723 - Use for attaching 18-2 and smaller wire to base-board, walls, etc. 5/8" long. 25 per package.			
White	5	N278-945	20448
Brown	5	N278-937	20069

**CABLE STAPLE****HALEX**

Item	Pack	Part #	HDI #
Steel. Use indoors or outdoors to secure non-metallic cable to wood surface.			
100/Box			
1/2" x 1" - #14 12/2 Non Metallic Cable	1	61010	15055
6/16" x 1 1/4" - #14 10/3 Armored and Non Metallic Cable	1	62510	15057

**FISH TAPE REEL W/LEADER****NSI**

Item	Pack	Part #	HDI #
8 1/2" reel diameter, shatterproof reel hand trigger assembly helps wind tape tightly as it automatically wipes off excess lubricant. Viewing ports show tape usage.			
50' x 1/8" x .045"	1	FTS50	5162

**CONDUIT - EMT****ALLIED TUBE**


Item	Pack	Part #	HDI #
High grade mild strip steel, hot galvanized. has a low friction ID coating that improves the slip properties between conduit and wire. It provides easy bending, cutting and joining while resisting flattening, kinking and splitting. Reduces electromagnetic fields, effectively shielding computers and sensitive electronic equipment from the electromagnetic interference caused by power distribution systems.			
1/2" x 10'	10	101543	5063
3/4" x 10'	10	101550	5065

**CONDUIT - PVC SCH 40****J-M MFG**

Item	Pack	Part #	HDI #
Safe, non-conductive. Used to protect electrical wiring in aboveground and underground applications. Easy to install. Will not rust or corrode. Compatible with ENT fittings with the use of ENT cement. Furnished in standard 10' lengths with one bell end.			
1/2" X 10'	10	67447	5062
3/4" X 10'	10	67454	5064
1" x 10'	5	67462	5060
1 1/4" x 10'	5	67470	5070
1 1/2" x 10'	5	67488	5072
2" x 10'	5	67496	5074

**CONDUIT BENDER****NSI**

Item	Pack	Part #	HDI #
Built in level gauge for 45° and 90° bends. Also includes embossed sight lines. Squared off bottom hook adds extra stability. Made from high strength aluminum.			
1/2" EMT No Handle	1	CB50	5157


**SERVICE ENTRANCE
ELBOW**

Halex

Use indoors or outdoors to form a 90° bend when connecting two lengths of rigid or I.M.C. conduit. Copper free aluminum die cast.

1/2" (5091) 59505

3/4" (5093) 59507
pk 10

**PVC 45° (BELLED END)
STANDARD RADIUS
ELBOW**

Halex

Use indoors or outdoors to connect PVC conduit to form a 45° bend. Schedule 40.

3/4" (5704) 79207
pk 10

**PVC 90° (BELLED END)
ELBOW**

Halex

Use indoors or outdoors to connect PVC conduit to form a 90° bend. Schedule 40.

1/2" (5701) 79105
pk 25


3/4" (5702) 79107
pk 50
1"

(5734) 79110
pk 10

1 1/4" (5730) 79112
pk 10

1 1/2" (5735) 79115
pk 15

2" (5736) 79120
pk 5

**PVC TYPE LB
CONDUIT BODY**

Halex

Assembled with cover and gasket. Use indoors or outdoors to join conduit together.

1/2" (5715) 78605
pk 10

3/4" (5716) 78607
pk 8

1" (5737) 78610
1 1/4" (5727) 78612
pk 4

1 1/2" (5738) 78615
2" (5739) 78620
pk 2


**E.M.T. TO E.M.T. PULL EL-
BOW**

Halex

Set screw type - less gasket. Use indoors to connect E.M.T. conduit together at a 90° angle. Zinc die cast.

1/2" (5083) 14405
pk 20

3/4" (5085) 14407
pk 10

**E.M.T. SET SCREW
COUPLING**


Halex

Concrete tight. Use indoors to join
two lengths of E.M.T. conduit.

Zinc die cast

$\frac{1}{2}$ "
(5071) 12205
pk 50

$\frac{3}{4}$ "
(5073) 12207
pk 25

**PVC FEMALE ADAPTER**


Halex

Use indoors or outdoors to connect
PVC conduit to a threaded conduit.

1"
(5740) 73910
pk 20

$1\frac{1}{4}$ "
(5712) 73912
pk 25

2"
(5742) 73920
pk 10

**E.M.T. COMPRESSION
COUPLING**


Halex

Raintight and concrete tight. Use
indoors or outdoors to join two
lengths of E.M.T. conduit.

Zinc die cast

$\frac{1}{2}$ "
(5079) 02205
pk 50

$\frac{3}{4}$ "
(5081) 02207
pk 25

**PVC MALE ADAPTER
TERMINAL BOX**

Halex

Use indoors or outdoors to connect
PVC conduit to a steel box or other
metal enclosure.

$\frac{1}{2}$ "
(5709) 73505

$\frac{3}{4}$ "
(5710) 73507


pk 50
1"

(5744) 73510
pk 15

$1\frac{1}{4}$ "
(5711) 73512

$1\frac{1}{2}$ "
(5745) 73515

pk 25
2"
(5746) 73520
pk 15

**PVC CONDUIT
COUPLING**

Halex

Use indoors or outdoors to join PVC
conduit together.

$\frac{1}{2}$ "
(5707) 73605

pk 50
 $\frac{3}{4}$ "
(5708) 73607

pk 30
1"
(5747) 73610
pk 15

$1\frac{1}{4}$ "
(5728) 73612

pk 25
 $1\frac{1}{2}$ "
(5748) 73615

pk 15
2"
(5749) 73620
pk 10

**PLASTIC INSULATING
BUSHING**

Halex

Use indoors or outdoors on rigid
I.M.C. conduit to protect the
wires. Flame retardant to 105°.

$\frac{1}{2}$ "
(5717) 75205-B

$\frac{3}{4}$ "
(5719) 75207-B
pk 100

1"
(5743) 75210-B
pk 50

$1\frac{1}{4}$ "
(5756) 75212-B

$1\frac{1}{2}$ "
(5757) 75215-B

2"
(5723) 75220
pk 25

**E.M.T. COMPRESSION
CONNECTOR**

Halex

Raintight and concrete tight. Use
indoors or outdoors to connect
E.M.T. conduit to steel outlet box,
load center or other metal enclosure.
Zinc die cast.

$\frac{1}{2}$ "
(5075) 02105

pk 50

$\frac{3}{4}$ "
(5077) 02107

pk 25

**CONDUIT LOCKNUT**

Halex

Use indoors or outdoors to secure
rigid conduit, I.M.C. conduit or
various threaded fittings to steel
outlet box or other metal
enclosures. Steel.

$\frac{1}{2}$ "
(5087) 61905B

$\frac{3}{4}$ "
(5089) 61907B

1"
(5750) 61910B

pk 100

$1\frac{1}{4}$ "
(5090) 61912B

$1\frac{1}{2}$ "
(5751) 61915B

2"
(5724) 61920B

pk 50

**E.M.T. SET SCREW
CONNECTOR**

Halex

Concrete tight. Use indoors to
connect E.M.T. conduit to steel
outlet box, load center or other
metal enclosure.

$\frac{1}{2}$ "
(5067) 12105
pk 50

$\frac{3}{4}$ "
(5069) 12107
pk 25



ELECTRICAL

Date 03/25/03

**E.M.T. OFFSET
CONNECTOR**

Halex

Set screw type. Concrete tight.
Use indoors to connect E.M.T.
conduit to a metal box enclosure
where an offset is desired.
Zinc die cast.

 $\frac{1}{2}$ "

(5201) 03705

pk 10

**CLAMP/ROMEX
CONNECTOR**

Halex

Twin screw type. For NM
(romex) cable. To connect
non-metallic cable to steel outlet
box, load center or other metal
enclosure. Zinc die cast.

 $\frac{3}{8}$ " fits $\frac{1}{2}$ " LKO

(5045) 05103

pk 100

 $\frac{3}{4}$ "

(5047) 05107

pk 50

**E.M.T. 90°
COMPRESSION
CONNECTOR**

Halex

Use indoors or outdoors to con-
nect E.M.T. conduit to a metal
enclosure where a 90° bend is
required and a pipe bending tool
is not used.

Zinc die cast

 $\frac{1}{2}$ "

(5203) 02905

pk 25

**WATER-TIGHT
CONNECTOR**

Halex

Use indoors or outdoors to
connect #14 - #12 UF cable to
waterproof box with threaded
hub. Zinc die cast

 $\frac{1}{2}$ "

(5056) 06605

pk 25

**FLEX / BX 90°
CONNECTOR**

Halex

$\frac{3}{8}$ " size fits $\frac{1}{2}$ " knockout. Use
indoors to connect flexible metal
conduit to steel outlet box or
other metal enclosure.

Zinc die cast

 $\frac{3}{8}$ "

(5209) 11003

pk 50

**BX / SADDLE
CONNECTOR**

Halex

$\frac{3}{8}$ " size fits $\frac{1}{2}$ " knockout. Use
indoors to connect bx cable to
a steel outlet box or other metal
enclosure. Zinc die cast

 $\frac{3}{8}$ "

(5207) 06703

pk 50



**THERMOPLASTIC
SERVICE ENTRANCE
CAP**

Halex

Use indoors or outdoors in an overhead service. Cap mounts on top of rigid or I.M.C. conduit. Serves as a connecting point for the service entrance wire. UL listed.

1 1/4"

(5725)

77912

pk 5



ELECTRICAL

Date 11/23/09

**PVC TWO HOLE STRAP**

Halex Co.

Use indoors or outdoors to secure PVC conduit to wood, masonry or other surfaces.

PVC

$\frac{1}{2}$ "
(5713) 71205B

$\frac{3}{4}$ "
(5714) 71207B
pk 100

1"
(5753) 71210B

$1\frac{1}{4}$ "
(5729) 71212B
pk 50

$1\frac{1}{2}$ "
(5754) 71215B
pk 25

2"
(5755) 71220B
pk 20

**TWO HOLE STRAPS**

Halex Co.

Snap-on type. Use indoors or outdoors to secure rigid or I.M.C. conduit to wood, masonry or other surfaces.

Steel

$\frac{1}{2}$ "
(5051) 61205

$\frac{3}{4}$ "
(5053) 61207
pk 100

1"
(5055) 61210

pk 50

$1\frac{1}{4}$ "
(5057) 61212

$1\frac{1}{2}$ "
(5059) 61215

pk 25

2"
(5061) 61220

pk 50

**E.M.T. 2 HOLE STRAPS**

Halex Co.

To support E.M.T. conduit where greater load bearing is required. Material, steel; Type, snap-on style.

$\frac{1}{2}$ "
(5096) Bulk Box 61605B

$\frac{3}{4}$ "
(5099) Bulk Box 61607B
pk 100

**E.M.T. ONE HOLE STRAP**


Halex Co.

Snap-on type. Use indoors or outdoors to support E.M.T. conduit.

Steel

$\frac{1}{2}$ "
(5095) 61505

$\frac{3}{4}$ "
(5097) 61507
pk 100

**CONDUIT HANGER**

Halex

Use indoors or outdoors to secure conduit to wood, masonry or similar surfaces. Steel with nut and bolt attached.

$\frac{3}{4}$ "
(5692) 67810B

1"
(5693) 67820

$1\frac{1}{4}$ " - $1\frac{1}{2}$ "
(5694) 67830

$1\frac{1}{2}$ "
(5695) 67840

pk 100


2"
(5752) 67850

pk 50




ELECTRICAL

Date 02/15/07

**NON-METALLIC CEILING
BOX**


Raco
4" -- 2" deep. 23.5 cu in.
With four self gripping clamps
with captive nails.

(5007) 7824
pk 50

**NON-METALLIC OLD
WORK SWITCH BOX**


Raco
3-11/16" x 2 1/4".
2-13/16" deep.
15.0 cu in. 4 clamps. Swing arms,
ears for old work.

(5155) 7887
pk 50

**NON-METALLIC
2-GANG OLD WORK BOX**


Raco
3 1/8" x 4"
2 13/16" D
25.0 cu in
6 clamps

(5152) 7488
pk 25

**NON-METALLIC SWITCH
BOX**


Raco
3-11/16" x 2 1/4".
2-7/18" deep.
18.0 cu in. with captive nails, 4
KO's.

(5013) 7302
pk 100

**NON-METALLIC 2-GANG
SWITCH BOX**

Raco
3-11/16" x 4".
3" deep.
32.5 cu in. with captive nails, 8
clamps.

(5153) 7835
pk 20


**NON-METALLIC 3 GANG
SWITCH BOX**

Raco
3-11/16" x 5-7/8".
2-11/16" deep.
45.0 cu in. with captive nails, 12
clamps.

(5159) 7846
pk 10



ELECTRICAL

**STEEL HANDY
(UTILITY) BOX**

Raco
4 x 2-1/8"
1-7/8" deep
13.0 cu in
11 KO's (6 side, 2 end, 3 bottom)

(5019) _____ 660
pk 50

**STEEL HANDY BOX
EXTENSION**

Raco
4 x 2-1/8"
1 1/2" deep
13.0 cu in
8 KO's (6 side, 2 end)
Extensions ring provide a means
of adding additional cubic capac-
ity or as an outlet box for surface
conduit.

(5010) _____ 665
pk 50

**STEEL KNOCK OUT
SEAL**

Halex
Application indoors or outdoors.
Use to cover exposed knockout
holes in steel outlet boxes or other
metal enclosures.


1/2" (1 per bag)
(5040) _____ 96071
pk 125

3/4" (1 per bag)
(5042) _____ 96072
pk 125

**STEEL 4" SQUARE BOX**

Raco
4"
1 1/2" deep drawn
21.0 cu in
17 KO's
(12 side 8 - 1/2", 4 - 3/4")
(5 bottom 3 - 1/2", 2 - 3/4")

(5005) _____ 192
pk 50

**ROUND ELECTRICAL BOX**

Raco
Non-metallic round box for old
work. 3 1/2"
4 clamps

(5141) _____ 7122
pk 50




ELECTRICAL

**STEEL SHALLOW
SWITCH BOX**

Raco
3 $\frac{3}{4}$ " x 2". 1" deep non-gangable.
6.5 in. 2 cable KO, 1 conduit
KO with NM cable clamp. "D"
bracket is scored so it may be
broken off if needed.

(5149) _____ 404
pk 25

**STEEL SWITCH BOX
W/BACKET**

Raco
3 x 2"
2 $\frac{1}{2}$ " deep, gangable
12.5 cu in
4 - cable KO, 3 - $\frac{1}{2}$ " conduit KO
with NM cable clamps. Plaster
ears for use in old work. Bracket
for fast mounting to wood or
metal studs.

(5015) _____ 529
pk 50

**STEEL BEVELED
CORNER SWITCH BOX**

Raco
3 x 2". 2 $\frac{1}{4}$ " deep, gangable. 10.5
cu in 4-cable KO, 1 $\frac{1}{2}$ " conduit
KO with NM cable clamps. Plas-
ter ears for use in old wood work.

(5009) _____ 471
pk 50

**STEEL SWITCH BOX
W/GRIP**

Raco
3 x 2"
2 $\frac{1}{2}$ deep, non-gangable
12.5 cu. in.
4 cable KO, 1 $\frac{1}{2}$ " conduit KO
with NM cable clamps.
Spring grips for use in old work.

(5017) _____ 545
pk 20

**STEEL SWITCH BOX**


Raco
3 x 2". 2 $\frac{1}{2}$ " deep, gangable. 12.5
cu in 4-cable KO, 1-1 $\frac{1}{2}$ " conduit
KO with NM cable clamps. Plas-
ter ears for use in old wood work.

(5011) _____ 519
pk 50



ELECTRICAL

Date 10/06/04

**STEEL OCTAGON BOX**

Raco

4" -- 1 1/2" deep. 15.5 cu in.
9 - 1/2" KO's, 4-side, bottom


(5161) 125
pk 50

**STEEL OCTAGON BOX**

Raco

4" -- 1 1/2" deep. 15.5 cu in.
7 KO's, 4-cable, 3 - 1/2" conduit
with NM cable clamps


(5001) 146
pk 50

**STEEL OCTAGON BOX**

Raco

4" --- 1 1/2" deep. 15.5 cu in.
7 KO's, 4-cable, 3 1/2" conduit
with NM cable clamps with bracket for fast mounting to wood or metal studs.


(5003) 160
pk 50

**STEEL CEILING FAN BOX**

Raco

4" octagon -- 1 1/2" deep.
15.5 cu. in. 4 cable KO's. 3 1/2"
conduit KO's with two 1 1/2" metal
screws for mounting. With NM
cable clamps.

(5154) 296-1
pk 20

**STEEL OCTAGON
EXTENSION**

4" -- 1 1/2" 15.5 cu in.
4 -- 1/2" KO's
Used to add cubic capacity or as
an outlet box for surface conduit.

(5006) 128
pk 50

**STEEL CEILING FAN**

Raco

4" round pan - 1/2" deep
6.0 cu in. 5 - 1/2" KO's in bottom

(5004) 293
pk 50



ELECTRICAL

**NON-METALLIC 4" ROUND COVER**

Raco
Flat
1/2" knock-out
Used to close an outlet box.

(5018) _____ 7081
pk 50

**STEEL 4" SQUARE COVERS**

Raco
Duplex receptacle and toggle switch.
Raised 1/2" for exposed work
Use to support switch and receptacle independent box.
Poly bag with hardware.

(5035) _____ 906
pk 10

**STEEL 4" SQUARE COVER**

Raco
Two toggle switches
Raised 1/2" for exposed work
Used to support two toggle switches independent of box.
Poly bag with hardware.

(5041) _____ 803
pk 10

**STEEL 4" ROUND COVER**

Raco
Flat
1/2" knock-out
Used to close an outlet box.

(5025) _____ 724
pk 100

**STEEL 4" SQUARE COVER**

Raco
Two duplex receptacles.
Raised 1/2" for exposed work.
Used to support two receptacles independent of box.
Poly bag with hardware.

(5037) _____ 907
pk 25

**STEEL 4" ROUND COVER**

Raco
Flat
Duplex receptacle outlet.
Used to close an outlet box.

(5023) _____ 731
pk 50

**STEEL 4" SQUARE COVER**

Raco
Flat
1/2" knock-out
Used to close an outlet box.

(5033) _____ 753
pk 50

**STEEL 4" SQUARE COVER**

Raco
One duplex receptacle
Raised 1/2" for exposed work
Use to support switch independent of box.
Poly bag with hardware.

(5039) _____ 902
pk 25



ELECTRICAL

Date 03/28/11

**HANDY BOX COVER**

Raco

Blank. Steel cover used to close a handy box. With captive screws.


(5027) _____ 860
pk 25

**HANDY BOX COVER**

Raco

Duplex receptacle. Steel cover used to close a handy box. With captive screws.


(5029) _____ 864
pk 25

**HANDY BOX COVER**

Raco

Toggle switch. Steel cover used to cover a handy box. With captive screws.

(5031) _____ 865
pk 25

**SWITCH BOX SUPPORT**

Raco

Grip-Lock

Use pair to mount switch box
with plaster ears in hollow wall.
Slip between box and wall, then
bend tabs into the box.

sold/ship/price per pair

(5043) 977
pk 100 pr

**GROUND SCREW**

GB

Secures ground wire to circuit
box.

Hex head-slotted

10/32 x 3/8

Self tapping machine screw.

sold/price per box/100

(5254) GGS-1032HC
pk 1

**GROUNDING CLIP**

GB

Provides grounding to switch,
outlet, or junction boxes for 10,
12, or 14 AWG copper grounding
wire.

sold/price per box/50

(5253) GGC-1014
pk 1



ELECTRICAL

Date 09/22/10

**FUSABLE SAFETY SWITCH**

Cutler Hammer

Steel enclosure. 30 amp, 2 pole, 3 wire, general duty safety switch, plug fuse type, (Type S, T, or W) fusible with neutral NEMA 1, 120/240 volt rating. 1/2 hp at 120V, 1½ hp at 240V. Does not have an interlock which prevents being opened when switch is in the on position. UL Listed.

(20609) DP221NGB
pk 6

**CIRCUIT BREAKER**

Cutler Hammer

For Cutler Hammer load centers

Plug-in type

Bulk pack.

Single Pole

15A
(20615) CH115

20A
(20616) CH120

30A
(20617) CH130

pk 10

Double Pole

20A
(20618) CH220

30A
(20619) CH230

40A
(20620) CH240

50A
(20621) CH250

60A
(20623) CH260

pk 5

100A
(20622) CH2100

pk 6

**CIRCUIT BREAKER**

Square D

Square D QO load centers

Plug-in type

Bulk pack

Single Pole

15A QO115CP
(20630) CHQ115

20A QO120CP
(20632) CHQ120

30A QO130CP
(20634) CHQ130

pk 10

Double Pole

20A QO220CP
(20636) CHQ220

30A QO230CP
(20638) CHQ230

40A QO240CP
(20640) CHQ240

50A QO250CP
(20642) CHQ250

60A QO260CP
(20644) CHQ260

pk 5

**CUTLER HAMMER
CARDED CIRCUIT
BREAKER**

Connecticut Electric
Original manufacturer equipment
on a color coded blister card. Full
instructions on back of card.

Single Pole

15A
(5217) CH115
30A
(5221) CH130
pk 6

Double Pole

20A
(5233) CH220
30A
(5235) CH230
50A
(5243) CH250
60A
(5245) CH260
pk 3

**SQUARE D CARDED
CIRCUIT BREAKER**

Connecticut Electric
Original manufacturer equipment
on a color coded blister card. Full
instructions on back of card.

Single Pole

15A
(5223) D115
20A
(5225) D120
30A
(5227) D130
pk 6

Double Pole

20A
(5237) D220
30A
(5239) D230
40A
(5247) D240
50A
(5249) D250
60A
(5251) D260
pk 3

**INTERCHANGEABLE
CARDED CIRCUIT
BREAKERS**

Connecticut Electric
Original manufacturer equipment
on a color coded blister card. Full
instructions on back of card. In-
terchangeable with Westinghouse
(Bryant), Challenger (Sylvania),
General Electric (full size only),
Siemens (ITE, Gould), General
Switch, Crouse-Hinds (Murray)

Single Pole

15A
(5211) ICBQ-115
20A
(5213) ICBQ-120
30A
(5215) ICBQ-130
pk 6


Double Pole

20A
(5229) ICBQ-220
30A
(5231) ICBQ-230
40A
(5259) ICBQ-240
50A
(5261) ICBQ-250
60A
(5263) ICBQ-260
pk 3



ELECTRICAL

Date 10/16/07

**HOMELINE
CIRCUIT BREAKER**

Square D
Original manufacturer equipment.
120/240 volt; 10,000 AIR. Thermal/magnetic tripping mechanism. U.L. Listed. Boxed

Single Pole

15A

(5265) HOM115CP

20A

(5266) HOM120CP

30A

(5267) HOM130CP

pk 10

Double Pole

20A

(5269) HOM220CP

30A

(5270) HOM230CP

40A

(5271) HOM240CP

50A

(5272) HOM250CP

60A

(5273) HOM260CP

pk 5

**TANDEM BREAKER**

Cutler Hammer

Provides 2 single-pole circuits.

For Cutler Hammer load centers.

Bulk

Single Pole

1515A

(20646) CHT1515

pk 10



ELECTRICAL

**CARTRIDGE FUSE**

Bussman Mfg
Non-time delay. Simple, single element type. Use in non-motor circuits. Quickly opens (blows) when short circuit or overload occurs. Ferrule 250V. UL class K5.

2" x 9/16"
10 amp
(10059) _____ NON-10

15 amp
(10063) _____ NON-15

20 amp
(10067) _____ NON-20

30 amp
(10071) _____ NON-30

3" x 13/16"
35 amp
(10075) _____ NON-35

40 amp
(10079) _____ NON-40

50 amp
(10083) _____ NON-50

60 amp
(10087) _____ NON-60
pk 10

**CARTRIDGE FUSE**

Bussman Mfg
Designed with time-lag feature. Dual element provides both short circuit protection and long time delay for harmless overloads of motor starting currents. Ferrule 250V UL class R

2" x 9/16"
20 amp
(10101) _____ FRN-R-20

30 amp
(10102) _____ FRN-R-30
pk 10

Carded - 2 per card
20 amp
(10089) _____ BP/FRN-R-20

30 amp
(10093) _____ BP/FRN-R-30
pk 5

**BUSS TIME DELAY
CARTRIDGE**

Bussman Mfg
Fuse. Time-delay – 10 second (minimum) at 500% of rated current. 600V AC

20 amp
(10113) _____ FRS-R--20

30 amp
(10114) _____ FRS-R-30
pk 10

**CARTRIDGE FUSES**

Bussman Mfg
Non-time delay.
Carded - 2 per card

15 amp
(10061) _____ BP/NON-15

20 amp
(10065) _____ BP/NON-20

30 amp
(10069) _____ BP/NON-30

35 amp
(10073) _____ BP/NON-35

40 amp
(10077) _____ BP/NON-40

50 amp
(10081) _____ BP/NON-50

60 amp
(10085) _____ BP/NON-60
pk 5



ELECTRICAL

**CARDED FUSE KIT**

Bussman Mfg

Fuse kit for cellular phones, electronic equipment and stereos, CB radios, security systems, electronic humidifiers. Contains: 2 AGC1, 1 AGC2, and 2 AGC3 fuses.

(10107) _____ HEF-1
pk 5

**BOX COVER UNIT**

Bussman Mfg

Fuse holder plus on/off switch. Fits 2 1/4" handy box. Box units allow individual fusing of small motors. Maximum motor size 3/4 hp.

(10095) _____ SSU
pk 10

**CARDED FUSE KIT**

Bussman Mfg

Meets circuit protection needs of most personal computer applications. Contains: MSL-1/2, MSL-1, MSL-2, GDC-1, and GDC-2.

(10108) _____ HEF-2
pk 5

**BOX COVER UNIT**

Bussman Mfg

Fuse holder plus receptacle. Fits 2" handy box. Box units allow individual fusing of small motors. Maximum motor size 3/4 hp.


(10091) _____ SRU
pk 10

**CARDED FUSE KIT**

Bussman Mfg

Meets circuit protection needs of most popular microwave ovens. Contains: 2 ABC-15 fuses.

(10109) _____ BP/ABC-15
pk 5

**BOX COVER UNIT**

Bussman Mfg

Twin fuse holders plus double pole switch. Fits 3" square box. Double pole switch opens both sides of a circuit. Can be used for two separate motors with common switch or a single motor. Maximum motor size 3/4 hp.

(10099) _____ STY
pk 10



ELECTRICAL

Date 02/24/14

**COPPER CRIMP
SLEEVE CONNECTOR**

#18-10 AWG /0-310
sold/price/box 100 per box
(20084)

1 box

**WIRE CONNECTOR**

NSI

Color coded for easy size selection. Standard twist-on connector with quality performance. Tough, thermoplastic shell shields against environmental extremes. Flame retardant.


Gray 14 per card
#22 to 14 AWG
(20070) WC-G-14R

Blue 14 per card
#22 to 14 AWG
(20078) WC-B-14R

Orange 12 per card
#22 to 14 AWG
(20083) WC-O-12R

Carded
#22 to 10 AWG 9 per card
Yellow
(280923) WC-Y-9R

#22 to 10 AWG 6 per card
Red
(280924) WC-R-6R
pk 10

**WIRE CONNECTOR**

NSI

Color coded screw-on connector. Fluted shell surface for firm grip for easy finger-tight connections. Thermoplastic construction for protection against environment.

Sold/Price Box

Bulk
100 per box

Grey
#22 to 14 AWG
(20072) WC-G-C

Blue
#22 to 14 AWG
(20074) WC-B-C

Orange
#22 to 14 AWG
(20073) WC-O-C

Yellow
#22 to 10 AWG
(20075) WC-Y-C

Red
#22 to 10 AWG
(20077) WC-R-C



ELECTRICAL

Date: 03/25/03

**GROUND ROD**

United Electric

5/8" x 8'

Galvanized after pointing.

(5098) _____ GR6258
pk 10

**GROUND ROD CLAMP**

Halex

Approved for direct burial. Use outdoors to connect the grounding wire to the ground rod. Bronze

5/8"
(5202) _____ 35906
pk 50

**GROUND CLAMP**

Halex

Fits 10-2 AWG

Use indoors or outdoors to secure the grounding wire to a 1/2" through 1" pipe. Zinc die cast

(5049) _____ 16010
pk 25



607



602

VINYL ELECTRICAL TAPE

INTERTAPE

Item	Pack	Part #	HDI #
Economical, general purpose. Flame retardant. UL listed. Individually wrapped.			
$\frac{3}{4}$ " x 60' x 7mil	10	602	25013
Professional quality. Stretchy, comfortable vinyl plastic insulates and protects against abrasion, weather, water, solvent splashes and chemicals. Flame retardant. UL listed. Individually packaged.			
$\frac{3}{4}$ " x 66' x 7mil - Black	10	607	25017
Colored - UL approved. Used primarily for color coding electrical wiring. 8 colors available.			
$\frac{3}{4}$ " x 66' - Blue	10	607BU	25030
$\frac{3}{4}$ " x 66' - Brown	10	607BRN	25032
$\frac{3}{4}$ " x 66' - Green	10	607GRN	25034
$\frac{3}{4}$ " x 66' - Grey	10	607GRY	25036
$\frac{3}{4}$ " x 66' - Orange	10	607ORG	25038
$\frac{3}{4}$ " x 66' - Red	10	607RED	25040
$\frac{3}{4}$ " x 66' - White	10	607WHT	25042
$\frac{3}{4}$ " x 66' - Yellow	10	607YEL	25044



FRICITION TAPE


NSI

Item	Pack	Part #	HDI #
For use over rubber tape on electrical splices. Individually wapped.			
$\frac{3}{4}$ " x 60'	100	EWFT-157560	25011



LIQUID ELECTRICAL TAPE

Item	Pack	Part #	HDI #
Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.			
4 oz.	10	LTB-400	380405

**RANGE OUTLET**

Cooper Wiring


Wall mounted. 3-pole, 3-wire non-grounding. Lay in terminals accept up to No. 4 conductors. 50A - 125/250V

Boxed w/wallplate

Black

(20138) 32B

pk 1

**RANGE OUTLETS**

Cooper Wiring

Surface mount. Easy wire lay in terminals accept up to No. 4 conductors. Knockouts in back and bottom. 50A - 125/250V

3-pole, 3-wire non-grounding

Boxed

Black

(20137) 112

pk 1

3-pole, 4-wire grounding cable clamp at bottom knockout

Black

(20142) 1212

pk 1


**50 AMP POWER RECEPTACLES**

Cooper Wiring

Industrial Power Receptacles 50A, 125/250V; Flush, 3-Pole, 4-Wire Grounding, accept up to #4 AWG wire.

(20125) 1258

pk 1

**DRYER OUTLETS**

Cooper Wiring

Surface mount. Easy wire lay in terminals accept up to No. 4 conductors. Knockout in back and bottom. 30A - 125/250V

3-pole, 3-wire non-grounding

Boxed

Black

(20129) 125


pk 1

3-pole, 4-wire grounding

Black

(20130) 1225

pk 1

**DRYER OUTLET**

Cooper Wiring

Wall mounted. 3-pole, 3-wire non-grounding. Easy wire lay in terminals accept up to No. 4 conductors. 30A - 125/250V

Boxed w/wallplate

Black

(20126) 38-B

pk 1

**SURFACE OUTLET**

Cooper Wiring

Double outlet, grounded.

15A - 125V. Heavy duty. Use with 12 or 14 - 2 or 3 wire romex. Knockouts for back. Bus bars for feed thru wiring.

Brown

(20259) 78B

pk 1

**50 AMP POWER OUTLET**

Cooper Wiring

2-pole, 2-wire grounding. Surface mount. Easy-wire lay in terminals accept up to No. 4 conductors. Knockouts in back and bottom. 50A - 250V

Boxed

Black

(20124) 1252

pk 1



OUTLETS

COOPER WIRING

Item	Pack	Part #	HDI #
Single 20 AMP Power Outlet - Heavy duty specification grade. Side wire terminals screw accept up to #10 copper wire. 250V. Individually boxed.			
Ivory	10	1876-V	20128
Brown	10	1876-B	20120
CO / ALR Grounding Outlet - Passes all UL tests for direct connection with aluminum wire. Terminal screws accept up to #10 conductors. Break-off fins for two circuit conversion. 15A - 125V			
Ivory	10	5270-V	20461
Decorative Grounding Outlet - Quickwire push-in and side wiring. Heavy duty double wire brass contacts for long life. 15A - 125V			
Ivory	10	1107-V	20442
20 AMP Grounding Outlet - Heavy duty specification grade. Side wire terminals accept up to No. 10 copper wire. Break-off plaster ears. Break-off fins for two circuit conversion. 20A - 125V AC			
Contractor Pack - Bulk			
Ivory	10	CR20V	20117
White	10	CR20W	20446
Brown	10	CR20B	20115
Standard Receptacles - Patented built-in wire stripper for #14 and #12 wire to speed installation. Patented built-in wire looper for pre-looping. Tri-combo screws accept slotted-, Phillips, and Robertson-head tools for installation flexibility. Terminal screws backed out - ready for wiring. Side wire terminals accept up to #10 solid or stranded wire. Push-in terminals accept #14 solid wire.			
Contractor Pack - Bulk			
Ivory	10	270-V	20412
White	10	270-W	20413
Brown	10	270-B	20414



GFI OUTLETS

BRIGHTWAY

Item	Pack	Part #	HDI #
Ground Fault Interrupters - Helps protect against electric shocks by turning off power automatically when it detects a ground fault or power leaking to ground. With wall plate.			
15A Ivory	24	74714	20101
15A White	24	74713	20122
20A Ivory	24	74712	20116
20A White	24	74711	20123



OUTLET PLUGS

NATIONAL

Item	Pack	Part #	HDI #
V756 - Child-Proof plugs for outlets.			
White	5	N259-333	465918




GROUNDING OUTLET W/COVER

COOPER WIRING

Item	Pack	Part #	HDI #
Side wire terminals accept up to No. 10 copper wire. Break-off plaster ears. Break-off fins for two-circuit conversion			
Brown - Bulk	10	869-BOX	20127



ELECTRICAL

**6 OUTLET POWER
CENTER**

Bright Way
30" 14/3 line cord. Extra outlets
for home, office etc. 15A reset-
table circuit breaker. Six outlet
w/ground and polarized on/off
switch.
UL listed

Ivory
(20383) _____ PP-11286MS
pk 12

**POWER STRIP SURGE
PROTECTOR**

Bright Way
33" 14/3 line cord. Surge pro-
tection for home appliances, TV,
VCR, stereo. 90 joules plus 15A
circuit breaker. UL listed. Surge
OK light.

Ivory
(20403) _____ MP6X
pk 12

**8-OUTLET SURGE PRO-
TECTOR**

Bright Way
3 Outlets for large adapters 15
AMP Circuit Breaker
1,800 Joules Basic Surge Protector
Right Angle Plug
100% Equipment Insurance
3 ft Cord
Black
(870658) _____ MP8TV
pk 6



ELECTRICAL


Date: 05/02/12

**REPLACEMENT KNOB
FOR DIMMER**

Cooper Wiring
With metal insert. 1 per card


Ivory
(20264) RKRD-V-BP

White
(20262) RKRD-W-BP
pk 15

**PUSH ON/OFF
DIMMER SWITCH**


Cooper Wiring
600W - 120V AC. Replaces any
single pole light switch. Built in
radio/tv filter. Carded - 2 Knobs

White/Ivory
(20256) RI06P-VW-K2
pk 5

**TURN ON/OFF
DIMMER SWITCH**

Cooper Wiring
600W - 120V AC
Replaces any single pole light
switch. Installs easily in standard
wall box. Built in radio/tv filter.

White
(20254) RI061-W
pk 1

**THREE WAY PUSH
ON/OFF DIMMER SWITCH**

Cooper Wiring
600W - 120V AC. Replaces any
three way light switch. Installs
easily in standard wall box. Built in
radio/tv filter.

White
(20255) 6003W
pk 1



ELECTRICAL

**SURFACE SWITCH**


Cooper Wiring

10A - 125V, 5A - 250V. Heavy duty. Use with 12 or 14 - 2 or 3 wire romex. Knockouts for back. Bus bar for feed thru wiring.

Brown

(20257) 735B

pk 10

**QUIET SWITCH AND GROUNDING OUTLET**

Cooper Wiring

Single pole switch and grounding receptacle. Break-off fins for conversion to separate feeds. Side wire terminals accept to #10 conductors. 15A - 125V receptacle. 15A - 120V switch.

Individually boxed

Ivory 5225-ISP

(20121) 274V

White 5225-WSP

(20118) 274W

pk 10

**3 - WAY QUIET SWITCH GROUNDING**

Cooper Wiring

With grounding screw. Controls one fixture from two locations. Quickwire push-in and side wired. Accepts up to #10 conductors. 15A - 120V

Contractor Pack (BULK)

Ivory 1453-2I

(20206) 1303-7V


White 1453-2W

(20208) 1303-7W

Brown 1453-2

(20204) 1303-7B

pk 10

**DECORATOR SWITCH**

Cooper Wiring


Single pole with grounding screw. Quickwire and side terminals. Replaces any standard wall switch. Rocker switch provides smooth, quiet operation. 15A - 120V

Individually boxed

White 5601-2WS

(20216) 7501W

pk 10

**TWO QUIET SWITCHES**

Cooper Wiring

Controls two lights from one location. Break-off fins for conversion to separate feeds. Side wire terminals accept to #10 conductors. 15A - 120V AC

Individually boxed

Ivory 5224-ISP

(20207) 271V

White 5224-WSP

(20445) 271W

Brown 5224-SP

(20205) 271B

pk 10



ELECTRICAL

Date: 11/30/06

**CO/ALR QUIET
GROUNDING SWITCH**

Cooper Wiring
Single pole with grounding screw.
Side wired. Passes UL tests for direct
connection to aluminum wire. Ter-
minal screws accept up to #10 alu-
minum, copper clad or copper wire.
15A-120V Contractor pack (bulk).

Ivory	2651-2I
(20460)	5221-7V
pk 10	

**QUIET SWITCH**

AF Lighting
With Grounding screw.
For residential applications. Quick-
wire push in and side wired. Accepts
up to #10 conductors. 15A-120V
Contractor pack (bulk).

Ivory	1301-7V
(20420)	WH4300-I
White	1301-7W
(20439)	WH4300-W

Cooper Wiring
Brown
(20422) 1301-7B
pk 10

**SWITCH LOCK**

National
Plastic stop to prevent switch
from being turned on or off.

BSWLKBC
(465001) N280-842
pk 24

48 Sold Full Display
GSWLKBC
(465000) N281-659
pk 48 (write up 48)

**QUIET SWITCH**


Cooper Wiring
For residential applications.
Quickwire push in and side wired.
Accepts up to #10 conductors.
15A-120V.

No Ground.

Contractor pack (bulk)
Ivory 1451-ICP
(20416) 1301V
White 1451-WCP
(20417) 1301W
Brown 1451-CP
(20418) 1301B
pk 10



ELECTRICAL


**SINGLE OUTLET
WALL PLATE**

Cooper Wiring

Smooth plastic. Smooth face and rounded edges. Matching mount screws included

Ivory	86004
(20271)	2131V
White	88004
(20276)	2131W
Brown	85004
(20270)	2131B

pk 25


**POWER OUTLET
RECEPTACLE
WALL PLATE**

Cooper Wiring

Aluminum. Mounting screws included. For range and dryer flush receptacles.

	83028
(20272)	39-CH

pk 25


**BLANK
WALL PLATE**

Cooper Wiring

Smooth plastic. Smooth face, rounded edges. Matching mount screws included

Ivory	86014
(20275)	2129V
White	88014
(20274)	2129W
Brown	85014
(20273)	2129B

pk 25

**WALL PLATE SCREW**

Cooper Wiring

6/32 x 1/2 oval head.

100 per bx.

sold/ship/price per bx


Ivory	86000
(20091)	231V
White	88000
(20089)	231W
Brown	85000
(20087)	231B

pk 1



ELECTRICAL


Date: 11/23/09

**COMBINATION
WALL PLATE**


Cooper Wiring
Smooth plastic. Smooth face and rounded edges. Matching screws included.

Switch/Receptacle

Ivory	86005
(20287)	2138V
White	88005
(20286)	2138W
pk 25	

**Two Switch/
One Outlet**

Ivory	86021
(20303)	2158V
Brown	85021
(20301)	2158B
pk 15	

**Decora - GFI Two
Switch/Outlet**

Ivory	80421-I
(20428)	2173V
White	80421-W
(20429)	2173W
pk 10	

**DUPLEX OUTLET
WALL PLATE**

Cooper Wiring
Smooth plastic. Smooth face and rounded edges. Matching screws included.

Single Outlet

Ivory	86003
(20279)	2132V
White	88003
(20278)	2132W
Brown	85003
(20277)	2132B
pk 25	

Double Outlet

Ivory	86016
(20299)	2150V
White	88016
(20298)	2150W
Brown	85016
(20297)	2150B
pk 10	

**DUPLEX OUTLET
WALL PLATE**


Cooper Wiring
Smooth plastic. Smooth face and rounded edges. Matching screws included.

Single Switch


Ivory	86001
(20283)	2134V
White	88001
(20282)	2134W
Brown	85001
(20281)	2134B
pk 25	

Double Switch


Ivory	86009
(20291)	2139V
White	88009
(20290)	2139W
Brown	85009
(20289)	2139B
pk 10	

TRIPLE SWITCH

Ivory	86011
(20295)	2141V
White	88011
(20294)	2141W
pk 15	

**DECORA - GFI
SINGLE DEVICE**

Ivory	80401-I
(20305)	2151V
White	80401-W
(20304)	2151W
pk 25	

**MID SIZE SINGLE
WALL PLATE**

Cooper Wiring

Mid size wallplates can be mounted onto larger volume outlet boxes and used to hide wall irregularities.

Brown 80501
(20002) 2034B

White 80501-W
(20004) 2034W


Ivory 80501-I
(20006) 2034V
pk 25

**OVERSIZED SINGLE WALL
PLATE**

Oversized wallplates are .75 inches higher and wider than standard wallplates. They are used to conceal greater wall irregularities than provided by Mid size wallplates.

All 1 gang oversized wallplates are 5.25"H x 3.5"W

White 001-88101
(20043) 2144W
pk 25

**MID SIZE OUTLET PLATE**

Cooper Wiring

Mid size wallplates can be mounted onto larger volume outlet boxes and used to hide wall irregularities.

Brown 80503-B
(20008) 2032B

White 80503-W
(20027) 2032W

Ivory 80503-I
(20012) 2032V
pk 25


**OVERSIZED OUTLET
PLATE**

Oversized wallplates are .75 inches higher and wider than standard wallplates. They are used to conceal greater wall irregularities than provided by Mid size wallplates.

All 1 gang oversized wallplates are 5.25"H x 3.5"W

White 001-88103
(20057) 2142W

Ivory 001-86103
(20056) 2142V
pk 25

**MID SIZE DOUBLE
WALL PLATE**

Cooper Wiring

Mid size wallplates can be mounted onto larger volume outlet boxes and used to hide wall irregularities.

Brown 80509-B
(20030) 2039B

White 80509-W
(20035) 2039W

Ivory 80509-I
(20032) 2039V
pk 25

**OVERSIZED DOUBLE
WALLPLATE**

Oversized wallplates are .75 inches higher and wider than standard wallplates. They are used to conceal greater wall irregularities than provided by Mid size wallplates.

All 1 gang oversized wallplates are 5.25"H x 3.5"W Add 1.8125" for each additional gang.

Brown 001-85109
(20058) 2149B

White 001-88109
(20060) 2149W

Ivory 001-86109
(20059) 2149V
pk 25



EXTENSION CORDS / POWER CENTERS

BRIGHT WAY


Item	Pack	Part #	HDI #
Power Blocks - SJTW-A. 15A - 125V UL Listed. 3 grounded outlets. Indoor or outdoor use. Orange			
50' 12/3	6	15250	20395
3' 14/3	12	TT3F T	20396
All Weather Extension Cord - Round Heavy Duty Cold Weather. Meets OSHA requirements for indoor and outdoor use. Stays flexible to -58°. Blue			
100' 16/3	6	13600	20392
3 Outlet Power Center with Built in GFI - Cuts off electricity in less than a second to prevent electric shock. Weather resistant test and reset buttons. 125V, Parallel Blades. Yellow			
2' 12/3	6	12402	20386



EXTENSION CORDS / POWER CENTERS

BRIGHT WAY

Item	Pack	Part #	HDI #
Outdoor Heavy Duty Extension Cord - Vinyl safety orange. Meets OSHA requirements for indoor and outdoor use.			
15' 16/3	24	R2615	20347
25' 16/3	24	R2625	20349
50' 16/3	12	R2650	20351
100' 16/3	6	R2600	20353
25' 14/3	12	R3025	20355
50' 14/3	8	R3050	20357
100' 14/3	4	R3000	20359
25' 12/3	10	R3125	20361
50' 12/3	6	R3150	20363
100' 12/3	4	R3100	20365
Household Cube Tap Extension Cord - 13A - 125V - SPT2. UL Listed, polarized. All purpose household safety cord.			
Brown			
6' 16/2	50	EE6	20325
9' 16/2	50	EE9B	20329
12' 16/2	50	EE12B	20333
15' 16/2	50	EE15	20337
White			
6' 16/2	50	EE6W	20327
9' 16/2	50	EE9W	20331
12' 16/2	50	EE12W	20335
15' 16/2	50	EE15W	20339

**AIR CONDITIONER EXTENSION CORD**

BRIGHT WAY

Item	Pack	Part #	HDI #
15A - 125V UL Listed. Individually sleeved. Parallel blades. Beige			
3' 14/3	10	3AC	20143
6' 14/3	10	6AC	20145
9' 14/3	5	9AC	20147

**RANGE CORD**

BRIGHT WAY

Item	Pack	Part #	HDI #
UL Listed. 250V			
Gray 3 Wire 50A 2#6 SRDT			
4'	4	BWRAC3-4	20139
Black 4 Wire 45A 2#6 2#8			
4'	4	BWRAC4	20140

**DRYER CORD**

BRIGHT WAY

Item	Pack	Part #	HDI #
UL Listed. 250V			
Gray 3 Wire 30A 3#10			
5'	6	BWDAC3 -5	20131
Black 4 Wire 30A 4#10			
5'	6	BWDAC4-5	20132

**WELDER / AIR CONDITIONER PLUG**

COOPER WIRING

Item	Pack	Part #	HDI #
2-pole, 3-wire grounding 30A/50A dual power vinyl angle plug. Universal Angle Plug: 30A wide / 50A narrow			
Black	1	S42	20136

**RANGE / DRYER PLUG**

COOPER WIRING

Item	Pack	Part #	HDI #
3-pole, 3-wire grounding 30A/50A dual power vinyl angle plug. Interchangeable blade: 30A angle and 50A straight blade. Abuse resistant thermoplastic.			
Black	1	S80	20135

**DUAL POWER ATTACHMENT PLUG**

COOPER WIRING

Item	Pack	Part #	HDI #
4-Wire, 3-Pole. 30A/50A dual power vinyl angle plug. Interchangeable blade: 30A angle and 50A straight blade.			
Black	1	S21-SP	20134

**CORD SWITCH****COOPER WIRING**

Item	Pack	Part #	HDI #
Minature Feed Thru Cord Switch - Convenient on/off switch. For use on 18-2 SPT-1 lamp cord. Easy to install-no stripping needed. Carded			
Ivory	25	410V	20219
White	25	410W	20437
Brown	25	410B	20217



BP459 **449NP** **458NP**
CANOPY SWITCHES

COOPER WIRING

Item	Pack	Part #	HDI #
Wide variety of sizes for use in fixtures, appliances, doorways, and equipment. Shank threaded #15/32-32 x 15/32". 6 wire lead terminals. 3A-125V, 1A-250V, 1A-125V			
Black Turn Knob	5	BP459	20229
Nickel Push Button	10	449NP	20223
Nickel Pull Chain w/ End Bell	10	458NP	20225

**CIRCUIT CONTROL TOGGLE SWITCH****COOPER WIRING**

Item	Pack	Part #	HDI #
Wire leads are 6" long #18 105°C, Stripped 0.75"			
SPST	10	452	20227

**Plug****Connector****VINYL ARMORED PLUGS & CONNECTORS****COOPER WIRING**

Item	Pack	Part #	HDI #
Commercial Grade - Solid brass plug blades. Armored housing automatically grounded. Combination slot/phillips head mounting and terminal screws. 2 Pole/3 Wire. UL Listed. Yellow			
15A-125V Plug	10	2867	20046
15A-125V Connector	10	2887	20042
15A-250V Plug	10	2866	20009
15A-250V Connector	10	2227	20010
20A-250V Plug	10	3809	20014
20A-250V Connector	10	2229	20034

**4862****4882****4867****4887****PVC PLUGS & CONNECTORS****COOPER WIRING**

Item	Pack	Part #	HDI #
Commercial Grade - Solid brass plug blades resist chemical attack and stay flexible in low temperatures. Armored housing automatically grounded. 2 Pole/2Wire. UL Listed. Yellow.			
15A-125V Plug	10	4862	20435
15A-125V Connector	10	4882	20434
Commercial Grade - Thermoplastic plug and connector. Solid brass plug blades. 2 Pole/3 Wire. UL Listed. Yellow			
15A-125V Plug	10	4867	20016
15A-125V Connector	10	4887	20033

**LOCKING PLUGS****COOPER WIRING**

Item	Pack	Part #	HDI #
Commercial Grade - Thermoplastic. 2 Pole/3 Wire grounding for generators. 30A-250V. Black & White			
	10	L630P	20018
Commercial Grade - Thermoplastic. 3 Pole/4Wire grounding for generators. 30A - 125/250V. Black & White			
	10	L1430P	20019
Industrial Grade - Insulated thermoplastic elastometric exterior. Hi-Viz Yellow. Contacts, blades, terminal screws nickel plated. 20A - 125/205V. 3 Pole/4 Wire			
	10	L1420PY	20024
Industrial Grade - Thermoplastic elastometric exterior. Hi-Viz Yellow. Contacts, blades, terminal screws nickel plated. Stainless steel assembly. 2 Pole/3 Wire			
15A-125V	10	2447	20026
20A-125V	10	L520PY	20017
Commercial Grade - Thermoplastic. External cable clamp. Black & White. 2 Pole/3Wire			
20A-250V	10	L620P	20022

**RUBBER PLUGS & CONNECTORS****COOPER WIRING**

Item	Pack	Part #	HDI #
Commercial Grade - Rubber. Solid brass plug blades. 2 Pole/2 Wire. UL Listed. Built in cord grip.			
15A-125V Plug	10	1723	20020
15A-125V Connector	10	224	20029
Commercial Grade - Thermoplastic Rubber. Solid brass plug blades. 2 Pole/3 Wire. UL Listed. Black armored housing.			
15A-125V Plug	10	1709	20045
15A-125V Connector	10	222	20044

**Plug****Connector****STANDARD PLUGS & CONNECTORS****COOPER WIRING**

Item	Pack	Part #	HDI #
Standard Grade - Thermoplastic. Plug blades are firmly embedded in body. 2 Pole/3 Wire. UL Listed			
15A-125V Plug	10	6867	20013
15A-125V Connector	10	6887	20031

**HOUSEHOLD PLUGS****COOPER WIRING**

Item	Pack	Part #	HDI #
Light Duty Household Plug - 2-pole, 2-wire. 15A - 125V. Use with 20, 18, 16 SPT cord. Clamp-tite plug has built in strain relief.			
White	10	SA840W	20432
Brown	10	SA840B	20431
Light Duty Household Plug - 2-pole, 2-wire 15A - 125V. Use with 18, 16 AWG cord.			
White	10	SA440W	20470
Brown	10	SA440B	20007
Light Duty Vinyl Plug - 2-pole, 2-wire. 15A - 125V. Use with 18, 16 AWG cord.			
Black	25	3123BK	20005
Residential Grade Thermoplastic Plug - 2-pole, 3-wire grounding 15A - 125V UL Listed			
Black	10	SA399	20021
Easy to Wire Plug - Wire without tools or stripping. 2-pole, 2-wire. 10A - 125V			
White	25	BP2601W	20003
Brown	25	BP2601B	20001

**HOUSEHOLD CONNECTORS****COOPER WIRING**

Item	Pack	Part #	HDI #
Light Duty Household Connector - 2-pole, 2-wire. 15A - 125V. Use with 20, 18, 16 SPT cord. Clamp-tite connect has built in strain relief.			
Brown	10	SA155B	20433
Residential Grade Thermoplastic Connector - 2-pole, 3-wire grounding. 15A - 125V UL Listed			
Black	10	SA993	20028

**ADAPTERS****COOPER WIRING**

Item	Pack	Part #	HDI #
Grounding Adapter - For three prong grounding plugs. Converts a 2 prong outlet into a 3 prong grounding outlet when tab is connected to a grounded outlet box.			
Gray	25	419GY	20023
Plug-in Triple Outlet Adapter - 15A - 125V (total load). Converts single polarized outlet into a triple polarized outlet where multiple outlets are needed.			
Brown	10	4400B	20239
White	10	4400W	20238
Socket Adapter - Converts ordinary outlet into lamp socket.			
Ivory	25	738V	20236
Brown	25	738B	20237
Socket Adapter - Converts any standard lamp socket to an outlet for two prong plugs.			
Brown	25	758B	20025
Plug-in Grounding Triple Outlet Adapter - 15A - 125V (total load). Converts a single grounding outlet into three grounding outlets where multiple outlets are needed.			
Orange	10	4402RN	20249
Plug-in Cube Outlet Adapter - Converts any single outlet into a triple outlet. Non UL. Vinyl			
	25	400-B	20048

**OUTLET ADAPTERS****COOPER WIRING**

Item	Pack	Part #	HDI #
Plug-in Six Outlet Adapter - 15A - 125V (total load). Creates six outlets from one duplex receptacle. For areas where multiple outlets are needed.			
Ivory	12	1746V	20251
Plug-in Triple Outlet - 15A - 125V (total load). Converts any polarized outlet into a triple outlet. For areas where multiple outlet are needed. Larger size 3/round or 3/flat plugs.			
Brown	10	1747B	20244
Ivory	10	1747V	20246
Plug-in Triple Grounding Outlet - 15A - 125V (total load). Use with 3-prong grounding plugs. Converts a single grounding outlet into three grounding outlets. For areas where multiple outlets are needed.			
Ivory	10	1147V	20242
Brown	10	1147B	20243
Plug-in Six Outlet Grounding Adapter - 15A - 125V (total load). Creates six grounding outlets from one duplex receptacle. For areas where multiple outlets are needed.			
Ivory	12	1146V	20253

**SOCKETS****COOPER WIRING**

Item	Pack	Part #	HDI #
Socket Interior - Interior mechanism for pull chain lamps.			
	10	2982	20161
Socket Interior - Interior mechanism for turn knob sockets. On-Off.			
	10	932	20183
Socket Interior - Interior mechanism for push button lamps.			
	10	942	20175
Socket Interior - Interior mechanism for three way turn knob lamps. Low-Med-Hi-Off sequence.			
	10	3925	20181
Twin Outlet Socket Adapter - Converts single socket into two outlets.			
Brown	10	715B	20233
Twin Outlet Socket Adapter w/Pull Chain - Converts single socket into socket plus two outlets. Pull chain controls socket only.			
Brown	10	718B	20235
Twin Light Socket Adapter - Converts a single socket into a double socket.			
Brown	10	700B	20231

**PULL CHAIN EXTENSION****COOPER WIRING**

Item	Pack	Part #	HDI #
End bell and large chain connector attached. May be cut to length. Carded			
3 ft.	5	331BB	20071

**LAMP HOLDERS****COOPER WIRING**


Item	Pack	Part #	HDI #
Pull Chain Lampholder - Top wired. Large terminals. Fits 3 1/4" x 4" standard outlet box. With pull cord and mount screws.			
White Porcelain	20	659	20153
Pull Chain Lampholder w/Outlet - Large terminals. Fits 3 1/4" and 4" standard outlet box. With pull cord and mount screws.			
White Porcelain	20	669	20155
Pull Chain Lampholder w/Grounded Outlet - Large terminals. Fits 3 1/4" and 4" standard outlet box. With pull cord and mount screws.			
White Porcelain	20	667	20157
Keyless Lampholder - Large terminals. Fits 3 1/4" x 4" standard outlet box. With mounting screws			
White Porcelain	30	604	20151
Bottom Turn Knob - One piece phenolic 1 1/4 OD body. Two leg bracket. Removable interior. Knurl nut and lock nut.			
	10	1198	20188
Outdoor Lamp Socket - Pigtail type medium base. Vinyl with phenolic interior and screw shell. Brass shell contact. 6" leads molded into boot.			
	25	145	20185
Outdoor Lamp Socket - Two piece pin type, medium base. No stripping, soldering, or tapping needed. Wire by placing conductors in channel at top of base. Pins pierce conductors when cap is screwed down.			
	25	732	20186

**LAMP HOLDERS****COOPER WIRING**

Item	Pack	Part #	HDI #
Pull Chain Lampholder - Metal shell medium base lamp holder. Single circuit, 1/8 IPS tapped bushing with set screw. Polished gilt.			
	10	980ABD	20171
Turn Knob Lampholder - Metal shell medium base lamp holder. Removable knob, single circuit, 1/8 IPS tapped bushing with set screw. Polished gilt.			
	10	917ABD	20173
Three Way Turn Knob Lampholder - Metal shell medium base lamp holder. 2-circuit, low-med-hi-off, tapped bushing. Polished gilt.			
	10	925ABD	20167
Push Thru Lampholder - Metal shell medium base lamp holder. Push through, single circuit, 1/8 IPS tapped bushing with set screw. Polished gilt.			
	10	940ABD	20169
Keyless Lampholder - Metal shell medium base lamp holder. Single circuit, 1/8 IPS tapped bushing with set screw. Polished gilt.			
	10	975ABD	20165
Socket Adapter - Adapts medium base sockets to accept mogul base bulb.			
	10	362	20174

**BP850V****BP851W****NIGHT LIGHTS****COOPER WIRING**

Item	Pack	Part #	HDI #
7W Bulb. Adjustable, removable shade. Long life, easy-grip rotary switch.			
Ivory	5	BP850B	20082
Sensor Night Light - Fully automatic. Turns off without a switch or timer. Variable intensity functioning. Brightness will increase as darkness increases.			
White	5	BP851W	20085

**LAMPS & TROUBLE LIGHTS****BRIGHT WAY**

Item	Pack	Part #	HDI #
Clamp Lamp - 18/2 SPT-2 6' Cord. 125V - 150W UL Listed. 8½" aluminum reflector shade. Swivel clamp holds socket in any position. Phenolic push thru switch socket.			
	4	R408B	20079
Trouble Light - 16/3 SJT 13A - 125V UL Listed. Switch and side outlet. Metal grounded guard with hook. Meets OSHA requirements for general use.			
Orange 25'	12	R32125	20367

BRIGHT WAY

Item	Pack	Part #	HDI #
Brooder & Heat Lamp - 18/2 9' cord. 125V - 250W. Polarized. 10" metal reflector with bulb guard, hang hook, and HD clamp. Heat resistant porcelain socket.			
	4	R609	20080

**TROUBLE LIGHT ACCESSORIES****COOPER WIRING**

Item	Pack	Part #	HDI #
Replacement Interior - Push thru interior only with two side outlets. Crimp terminals. Use with trouble lights.			
	25	944	20379



TS1001SPJ2



TS1001C



TS1001SPL2

PHONE CORD ADAPTERS**ZENITH**


Item	Pack	Part #	HDI #
Duplex Plug Adapter - Allows a one outlet phone jack to be converted to two outlets. Carded			
White	4	TS1001SPJ2W	870605
- Almond	4	TS1001SPJ2A	870621
In-Line Cord Coupler - Allows two phone cords to be connected. Fits all standard modular phones. Carded			
White	4	TS1001CW	870603
Almond	4	TS1001CA	870619
3-Outlet Modular Adapter			
White	4	TS1001SPJ3W	870616
Modulator 3-Way In-Line Cord Coupler			
Almond	4	TS1001SPL2A	870612

**SURFACE MOUNT PHONE JACK WITH BLOCK & COVER****ZENITH**

Item	Pack	Part #	HDI #
Screw terminal wiring block and separate cover. Carded			
Almond	4	TM1001SMSMA	870627
White	4	TM1001SMSMW	870628




TW1001S



TW1002D



TW1002CP



TW1001WP



TW1003WP

WALL PLATES**ZENITH**

Item	Pack	Part #	HDI #
Flush Mount Wall Plate - Flush mount jack and plate. Fits all standard modular phones. Installs in standard electrical box to replace or add a flush mount, modular wall jack. Carded			
White	4	TW1001SW	870597
Almond	4	TW1001SA	870629
Duplex Flush Wall Plate - Wire it as one line with two outlets or two separate lines. Installs in standard electrical box to replace existing flush mount jack or add new jack. Carded			
White	4	TW1002DW	870598
Almond	4	TW1002DA	870644
Flush Mount TV/Phone Wall Plate - Flush mount wall plate fits all standard modular phones and 70-ohm cables terminated in "F" plugs. Carded			
White	4	TW1002CPW	870679
Almond	4	TW1002CPA	870678
Surface Mount Wall Phone Jack - Flush mount modular jack with standard wall phone mounting pins. For installation in standard electrical box. Carded			
White	4	TW1001WPW	870596
Surface Mount 3-Way Wall Phone Jack			
Almond	4	TW1003WPA	870622

**PHONE LINE CORD****ZENITH**

Item	Pack	Part #	HDI #
Flat wire cord with modular plugs on both ends			
7'			
Almond	4	TL1007A	870593
12'			
Almond	4	TL1012A	870600
White	4	TL1012W	870601
Black	24	20-015BK	870602
25'			
Ivory	24	20-025IV	870615
White	24	20-025WH	870599
50'			
Almond	4	TL1050A	870589
White	4	TL1050W	870588



20-571

PHONE LINE EXTENSION CORDS

20-573

ZENITH

Item	Pack	Part #	HDI #
Line Extension Cord - Flat wire cord with modular plug on one end and modular connector on the other end. Carded			
25'			
White	24	20-571WH	870640
Dual Line Extension Cable - Flat wire cord with modular plug on one end and duplex connector on other end. converts single modular outlet to twin outlet. Carded			
25'			
Ivory	24	20-573	870594

**PHONE HANDSET CORD****ZENITH**

Item	Pack	Part #	HDI #
Coiled handset cord with modular plugs on both ends. Replaces current handset cord. Carded			
12'			
Almond	4	TH1012A	870609
White	4	TH1012W	870607
Black	24	20-515BK	870610
25'			
Ivory	24	20-525IV	870613
White	4	TH1025W	870611
Black	4	TH1025B	870595

**HANDSET CORD UNTANGLER****TRANS USA**

Item	Pack	Part #	HDI #
Prevents twisted and tangled handset cords. Fits all modular phones. Attaches in seconds. Carded			
Clear	5	20-564	870606



TP1050ULA



20-490-50

PHONE WIRE**ZENITH**

Item	Pack	Part #	HDI #
4-conductor multi purpose communication circuit wire for installation of phone lines, intercoms, computer networks, burglar alarms and other indoor applications.			
Sleeved			
50' Almond	4	TP1050ULA	870592
100' Almond	4	TP1100ULA	870591
Box			
500' Grey	1	0345	870637
Ivory Flat Phone Wire - Bare Ends			
50'	24	20-490-50	870635
100'	24	20-490-100	870636

**WIRE & HANDSET CORD CRIMPING TOOL****TRANS USA**

Item	Pack	Part #	HDI #
Cuts, strips and connects flat line phone wire and handset cords to modular plugs. Separate adapter included for crimping receiver cords. Carded			
Ivory	5	20-580	870642



060000



060002



060001

CABLE SPLITTERS**PERFECT VISION**

Item	Pack	Part #	HDI #
Digital Ready Splitter - 5-1000 MHZ Silver Plated. Splits one digital signal from incoming source (antenna, cable, etc.) into separate digital signals. Carded			
Two Way Splitter	12	060000	870654
Three Way Splitter	12	060002	870655
Four Way Splitter	12	060001	870656

**CABLE SWITCHES****ZENITH**

Item	Pack	Part #	HDI #
Links two 75-ohm incoming signals (antenna, cable, VCR, etc.) into a switch allowing selection of one outgoing 75-ohm signal. Carded			
	4	VR1001SW2W	870689



010007



010001



010008

COAX CONNECTORS**PERFECT VISION**

Item	Pack	Part #	HDI #
Radial Crimp F Connectors - fit RG-6 dual shield (one foil layer and one braid layer) coax.			
2 pack	12	010007	870688
4 Pack	12	010004	870645
10 pack	12	010005	870646
Compression Coax Connector - Universal Compression Connectors for Coaxial Cable; •High performance F-type connector. •Quick, easy installation on all RG-6 coaxial cables including dual, tri and quad shield. •Precision machined body with mil spec plating. •Designed to work with any standard compression tool.			
2 pack	12	010001	870680
4 pack	12	010002	870647
10 Pack	12	010003	870648
Coax Barrel Connector - •Double female barrel connector •Use to join two cables •Also fits to wall plates •Used for high frequency cable runs •3 GHZ			
2 per card	12	010008	870651



VW1001WJ1

SURFACE MOUNT 75-OHM JACK & WALL PLATE

ZENITH

Item	Pack	Part #	HDI #
Wall plate provides 75-ohm jack for coaxial cable hookup on TV or VCR. Carded			
Almond	4	VW1001WJ1A	870653
White	4	VW1001WJ1W	870661



CO-AXIAL CABLE TOOLS

PERFECT VISION

Item	Pack	Part #	HDI #
Crimp Connector Tool - Crimp tool that attaches F-fitting to coax cable - Compound hinge makes crimping easy - Use with any line of connectors that connect with hex crimp-on style			
	2	050000	5102
Compression Tool for applying universal compression connectors to coaxial cable.			
	6	050001	20373
Coax Cable Prep Stripping Tool - is a very handy coax wire stripper with fully adjustable depth of cut. Use it to prepare coax cable. The adjustable blades allow simple, minor blade height adjustments.			
	6	050002	20375



TOOL KIT

PERFECT VISION

Item	Pack	Part #	HDI #
Home Installation Kit - Contains: 10 Universal compression coaxial connectors; coaxial cable wire preparation tool (050002) and the compression tool (050001) for applying the connectors.			
	4	050004	20390



RG-6



COAX CABLES

090000

PERFECT VISION

Item	Pack	Part #	HDI #
RG-6 - Designed to deliver ultra high quality connections for digital audio/video & satellite equipment.			
Black - w/ends			
3'	6	036000	870715
6'	6	036003	870716
12'	6	036006	870717
25'	6	036009	870718
50'	6	036012	870719
100'	6	036015	870720
White - w/ends			
3'	6	036001	870691
6'	6	036004	870692
12'	6	036007	870664
25'	6	036010	870668
50'	6	036013	870669
100'	6	036016	870693
Flat Wire Window/Door Jumper - True Coaxial Cable: 18dB Return Loss @ 2150MHz; Electrical Specs Do Not Degrade With Bending, Impact or Temp; Higher Connector-Cable Holding Force: Greater than 60 lbs; Thinner Cable: Less than 3mm; High Center Conductor Holding F Connectors: Greater than 150g; Impact Durability: 50,000 impacts(with no electrical degradation); Shape Retention: Employs a Metal Structure to Hold Sharper Bends			
	12	090000	20133

COLEMAN CABLE

Item	Pack	Part #	HDI #
Bulk RG-6 - Solid bare copper-covered steel, 18 AWG conductor. Used for CATV, MATV, Class 2 circuits internal wiring, local area networks and RF signal transmission. 100 percent foil and 60 percent aluminum braid. Foamed polyethylene insulation and PVC jacket. UL type CL2/CATV, UL style 1354.			
500' Reel	1	92003-05-08	15067



COAX CABLE CLIPS

NSI

Item	Pack	Part #	HDI #
Plastic clips secure coaxial cable. Attach to wood or mortar with nails. 10 per card			
White	10	PNC-157W-25R	870681
Black	10	PNC-157B-25R	870682



HDMI CABLES

PERFECT VISION

Item	Pack	Part #	HDI #
High Speed HDMI Cable - 1080P HD signals between HD devices; 3D and 4K Ready, High Definition Audio Return Channel, Ethernet Channel			
3 ft.	6	030004	870699
6 ft.	6	030000	870700
12 ft.	6	030002	870703
High Speed HDMI Premium Cable - 1080P HD signals between HD devices, 3D and 4K Ready; High Definition Audio Return Channel Ethernet Channel; Increased Shielding for High Density applications; In-Wall Rated			
3 ft. Premier	6	030005	870704
6 ft. Premier	6	030001	870707
12 ft. Premier	6	030003	870709



25-331

AUDIO/VIDEO CABLE

ZENITH

Item	Pack	Part #	HDI #
3 RCA Plugs to 3 RCA Plugs			
6' Composite	4	VT1006COMPOS	870662
Stereo Audio/S-VHS Cable			
6 ft	24	25-331	870702

**INDOOR BELLS**

Item	Pack	Part #	HDI #
Buzzer - 8-16V AC, 3-6V DC. Concealed terminals.			
Carded	10	DH-920	20051
Bell - 8-16V AC, 3-6V DC. Concealed terminals. 2½" Diameter Gong.			
Carded	10	DH-922	20050

**TRANSFORMERS**

Item	Pack	Part #	HDI #
Transformer - 120V AC primary, 16V, 10A. Complete with ground wire. Multi-mount bracket. Carded			
	10	DH905	20047

**BELL BUTTONS**

Item	Pack	Part #	HDI #
Lighted Bell Button - Slim bar type. Gold. Carded			
15/16" x 2¾"	10	DH-1407-L	20040
Bell Button - Plastic button, black, white bar. Carded			
¾" x 2¾"	10	DH1407	20036

**BELL WIRE****COLEMAN CABLE**

Item	Pack	Part #	HDI #
20/2 insulated			
65'	6	DH965	20055



50001



50012



SA170

LIGHTING TIMERS**WOODS / SYLVANIA**

Item	Pack	Part #	HDI #
Indoor 24HR HD Mech Time - Multiple daily programming, cycle repeats every 24 hours. Plugs directly into wall outlet. Up to 24 on/off settings per day. Instruction slot and manual override switch. Programmable in 30 minute intervals. Capacity 15 amp (1875 watts) resistive / 8 amp, 1000 watts tungsten / 5 amp ballast, 125 volt, 60 Hz. Pins stay in the timer, never get lost. CSA Certified C/US, CFL compatible. 2.5" depth x 5" width x 6.25" height, .22 lb. White with taupe silkscreen.			
	6	50001	391156
Outdoor 24HR HD Mech Timer - Automate outdoor security and holiday lighting, bug zappers and pool pumps. Up to 24 on/off settings per day, repeats daily. Programmable in 30 minute intervals. CSA Certified C/US, CFL Compatible. Two grounded outlets, weatherproof housing, 12" power cord. 3" depth x 7.5" width x 9" height, .89 lb. 125 volts ac, 60 Hz 15 amps, 1875 watts resistive / 8 amp, 1000 watts tungsten / 8 amp ballast. Controls up to 3/4 HP, 15FLA, 90LRA.			
	6	50012	391158
Digital Wall Switch Timer - Zip-Set technology with one-step set-up. Optional 4 on/off settings. Replaces any indoor wall switch. 7-5-2 feature allows you to set times based on the 7 day full week, 5 day work week, or 2 day weekend. 15 amps.			
	6	SA170	391157

**CHARGING CLIPS
NSI**

Item	Pack	Part #	HDI #
5 AMP, 4 per card	10	BCL5-4R	5143
30 AMP, 2 per card	10	BCL30-2R	5145
50 AMP, 1 per card	10	14-550	5147

**SOLDERLESS TERMINAL SET
NSI**

	Tab	Pack	Part #	HDI #
22-18	.250	10	IF22-250-3N-20PR	5228
16-14	.250	10	IF16-250-3N-20PR	5230

**INSULATED CLAMPS
JT & T**

Item	Pack	Part #	HDI #
30 Amp, Red/Black	1	253F	872286
50 Amp, Black/Red	1	254F	872288

**ALLIGATOR CLIPS
NSI**

Item	Pack	Part #	HDI #
Fully Insulated			
2/CD 22-14AWG 2"	10	ATC-2B-2R	5144
Non-Insulated			
4/CD 22-14AWG 1 1/4"	10	ATC-125-4R	5148
4/CD 22-14AWG 2"	10	ATC-200-4R	5214

**TEST CLIPS & LEADS
JT&T**

Item	Pack	Part #	HDI #
2" Clips & Leads Red/Black Combo w/PVC handles - (5 sets)	1	215F	872180
1" Clip Combo Pack (2 sets) w/vinyl boot	1	220H	872197
Mini 2" Test Clips, Red & Black Combo (2 Sets) w/vinyl boot	1	221F	872198
Test Clips w/30" vinyl Leads Red & Black	1	219F	872196
Test Clips w/36" w/vinyl Leads & Boots	1	225F	872200
2" Test Clip	1	218-1H	872570

**VINYL INSULATED MALE DISCONNECTS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	19	2103H	872150

Tab	Pack	Part #	HDI #
.250	19	2106H	872154

Tab	Pack	Part #	HDI #
.250	15	2108H	872157

NSI

22-16AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	18	M22-250-3V-18R	5126

Tab	Pack	Part #	HDI #
.187	18	M16-187-2V-18R	5125

Tab	Pack	Part #	HDI #
.250	16	M12-250-3V-16	5216

**VINYL INSULATED FEMALE DISCONNECTS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	100	2102C	872148
.250	19	2102H	872149

Tab	Pack	Part #	HDI #
.187	19	2104H	872151
.250	100	2105C	872152
.250	20	2105H	872153

Tab	Pack	Part #	HDI #
.250	50	2107F	872155
.250	15	2107H	872156
.375	7	2113H	872162

NSI

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	21	F22-250-3V-21R	5198


Tab	Pack	Part #	HDI #
.187	20	F16-187-2V-20R	5123

Tab	Pack	Part #	HDI #
.250	16	F12-250-3V-16R	5210

PUSH ON HEAT SHRINK CRIMP & SOLDER INSULATED DISCONNECTS**JT & T**

16-14AWG Blue

	Tab	Pack	Part #	HDI #
Male	.250	10	2251F	872575
Female	.250	10	2250F	872574

**FULLY INSULATED NYLON MALE DISCONNECTS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	10	2115H	872165

Tab	Pack	Part #	HDI #
.250	10	2117H	872168

Tab	Pack	Part #	HDI #
.250	7	2119H	872170

**PUSH ON FULLY INSULATED NYLON FEMALE DISCONNECTS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	100	2114C	872163
.250	10	2114H	872164

Tab	Pack	Part #	HDI #
.250	100	2116C	872166
.250	10	2116H	872167

Tab	Pack	Part #	HDI #
.250	7	2118H	872169

**PUSH ON HEAT SHRINK FULLY INSULATED CRIMP STYLE DISCONNECTS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

	Tab	Pack	Part #	HDI #
Male	.250	10	2373J	872614
Female	.250	10	2374J	872615

	Tab	Pack	Part #	HDI #
Male	.250	10	2375J	872226
Female	.250	10	2376J	872227

	Tab	Pack	Part #	HDI #
Male	.250	10	2377J	872616
Female	.250	10	2378J	872617



**VINYL INSULATED RINGS & HOOKS****JT & T**

Rings

22-18AWG Red


Stud	Pack	Part #	HDI #
10	19	2002H	872079
1/4	14	2003H	872080

16-14AWG Blue

Stud	Pack	Part #	HDI #
6	19	2006H	872081
8	19	2007H	872082
10	19	2008H	872083
1/4	14	2009H	872084
5/16	14	2010H	872085
3/8	14	2011H	872086

12-10AWG Yellow

Stud	Pack	Part #	HDI #
8	14	2013H	872087
10	14	2014H	872088
1/4	12	2015H	872089
5/16	12	2016H	872090
1/2	7	2018H	872092

**GB/NSI**

22-18AWG Red

Stud	Pack	Part #	HDI #
4-6	22	20-101	5110
8-10	22	R22-8V-22R	5111

16-14AWG Blue

Stud	Pack	Part #	HDI #
4-6	22	20-103	5113
8-10	22	R16-8V-22R	5109
12-1/4	17	R16-14V-17R	5192

12-10AWG Yellow

Stud	Pack	Part #	HDI #
8-10	14	R12-8V-14R	5122
12-1/4	14	R12-14V-14R	5205
1/4 - 3/8	13	R12-38V-13R	5206

JT & T

Hooks

22-18AWG Red

Stud	Pack	Part #	HDI #
10	19	2141H	872173

16-14AWG Blue

Stud	Pack	Part #	HDI #
10	19	2142H	872174

12-10AWG Yellow

Stud	Pack	Part #	HDI #
10	14	2143H	872175

HEAVY DUTY VINYL RINGS**JT & T**

1/4" Stud

AWG	Pack	Part #	HDI #
8	4	2020H	872093

5/16" Stud

AWG	Pack	Part #	HDI #
8	4	2021H	872094

3/8" Stud

AWG	Pack	Part #	HDI #
8	4	2022H	872095

VINYL INSULATED SPADES**JT & T**

22-18AWG Red

Stud	Pack	Part #	HDI #
10	19	2052H	872121

16-14AWG Blue

Stud	Pack	Part #	HDI #
8	19	2054H	872122
10	19	2055H	872123

12-10AWG Yellow

Stud	Pack	Part #	HDI #
10	14	2058H	872124

GB/NSI

22-18AWG Red

Stud	Pack	Part #	HDI #
4-6	20	20-111	5121
8-10	20	20-112	5119

16-14AWG Blue

Stud	Pack	Part #	HDI #
4-6	20	20-113	5104
8-10	20	S16-8V-20R	5194

12-10AWG Yellow

Stud	Pack	Part #	HDI #
8-10	8	S12-8V-8R	5115

HEAT SHRINK CRIMP & SOLDER SEAL TERMINAL KITS**JT & T**

Item	Pack	Part #	HDI #
Heat Shrink Crimp Seal Terminal Kit - 75 pc - 22-18 through 12-10. Rings, spades, disconnects & butt connectors			
	1	6976F	872647
Heat Shrink Solder Seal Terminal Kit - 60 pc - 22-18 through 12-10. Rings, spades, disconnects & butt connectors			
	1	6977F	872648
Heat Shrink Crimp & Solder Seal Terminal Kit - 60 pc - 22-18 through 12-10. Rings, spades, disconnects & butt connectors			
	1	6978F	872649

**VINYL PIN TERMINALS****JT & T**

AWG	Pack	Part #	HDI #
22-18	14	2290H	872210
16-14	12	2291H	872211
12-10	8	2292H	872212

DELUXE VINYL TERMINAL KIT W/TOOL**JT & T**

Item	Pack	Part #	HDI #
Contains 100 terminals plus wiring tool			
	1	6992F	872456



**HEAT SHRINK HOOKS, RINGS, & SPADES****JT&T****Hooks**

22-18AWG Red

Stud	Pack	Part #	HDI #
10	5	2161J	872181

16-14AWG Blue

Stud	Pack	Part #	HDI #
10	5	2162J	872182



12-10AWG Yellow

Stud	Pack	Part #	HDI #
10	4	2163J	872183

Spades

22-18AWG Red

Stud	Pack	Part #	HDI #
6	10	2350J	872604
8	10	2351J	872605

16-14AWG Blue

Stud	Pack	Part #	HDI #
6	10	2353J	872606
8	10	2354J	872607
10	3	2355H	872221

12-10AWG Yellow

Stud	Pack	Part #	HDI #
8	10	2357J	872608
10	10	2358J	872609

Rings

8AWG Red

Stud	Pack	Part #	HDI #
10	3	2319J	872599
1/4"	3	2320J	872600
5/16"	5	2321J	872601
3/8"	5	2322J	872602
1/2"	4	2323J	872603

16-14AWG Blue

Stud	Pack	Part #	HDI #
6	5	2306J	872590
8	5	2307J	872591
10	3	2308J	872217
1/4"	3	2309J	872218
5/16"	5	2310J	872592
3/8"	5	2311J	872593

12-10AWG Yellow

Stud	Pack	Part #	HDI #
8	4	2313J	872594
10	3	2314J	872219
1/4"	3	2315J	872595
5/16"	5	2316J	872596
3/8"	5	2317J	872597
1/2"	4	2318J	872598

22-18AWG Red

Stud	Pack	Part #	HDI #
6	5	2300J	872586
8	5	2301J	872587
10	5	2302J	872216
1/4"	5	2303J	872588
5/16"	5	2304J	872589

**BULLET SET
GB**

22-18AWG Red

Dia.	Pack	Part #	HDI #
.157	10	20-161P	5238

VINYL BULLET MALE CONNECTORS**JT & T**

16-14AWG

Dia.	Pack	Part #	HDI #
.157M	20	2111H	872160
.157FM	7	2112H	872161

22-18AWG

Dia.	Pack	Part #	HDI #
.157	19	2125H	872567

**HEAT SHRINK INSULATED
BULLET MALE CONNECTORS
JT & T**

16-14AWG

Dia.	Pack	Part #	HDI #
.157	10	2136H	872568

RECEPTACLE (FEMALE) CONNECTORS**JT & T**

22-18AWG

Dia.	Pack	Part #	HDI #
.157	8	2124H	872566

**HEAT SHRINK INSULATED
FEMALE CONNECTORS****JT & T**

16-14AWG

Dia.	Pack	Part #	HDI #
.157	10	2137H	872569

NYLON INSULATED FLAG TERMINAL DISCONNECTS**JT & T**

22-18AWG Red

Tab	Pack	Part #	HDI #
.250	8	2293H	872213

16-14AWG Blue

Tab	Pack	Part #	HDI #
.250	8	2294H	872214



12-10AWG Yellow

Tab	Pack	Part #	HDI #
.250	4	2295H	872215

**TAP SPLICE CONNECTORS****JT & T**

22-18AWG Red w/Stop

18-14AWG White No Stop

Pack	Part #	HDI #
6	1220-2H	872034

Pack	Part #	HDI #
7	1220-1H	872033

18-14AWG Blue w/Stop

Pack	Part #	HDI #
6	1220H	872035

**SOFT VINYL TWIST CONNECTS****JT & T**

18-14AWG Yellow

16-10AWG Red

Pack	Part #	HDI #
6	1222H	872036

Pack	Part #	HDI #
6	1223B	872037



Assorted

Pack	Part #	HDI #
1	2158H	872179

NSI

22-18AWG Red

18-14AWG Blue

12-10AWG Yellow

	Pack	Part #	HDI #
Vinyl	5	PTC22-18-5R	5132

	Pack	Part #	HDI #
Vinyl	5	PTC16-14-5R	5212

	Pack	Part #	HDI #
Vinyl	2	PTC12-10-2R	5138

PUSH ON T-TAP W/FULLY INSULATED MALE DISCONNECT**JT & T**

16-14AWG

Pack	Part #	HDI #
4	2122H	872172

**NYLON CLOSED END CONNECTORS****JT & T**

22-14AWG

12-10AWG

Pack	Part #	HDI #
15	1216H	872030

Pack	Part #	HDI #
10	1217H	872031

**PUSH ON FULLY INSULATED MALE & FEMALE DISCONNECT COMBINATION****JT & T**

16-14AWG

Pack	Part #	HDI #
5	2121H	872171

**CLOSED-END WIRE CONNECTORS**

(Joins 2 to 4 wires-Heat shrink insulated-Crimp seal)

JT & T

22-14AWG

18-10AWG

Pack	Part #	HDI #
5	2273J	872584

Pack	Part #	HDI #
5	2274J	872585

**IN-LINE MULTIPLE WIRE BUTT CONNECTOR**

(Heat shrink insulated-Crimp seal- One wire to two wires)

JT & T

24-22 to 20-18AWG

20-18 to 16-14AWG

16-14 to 12-10AWG

12-10 to 8AWG

Pack	Part #	HDI #
5	2269J	872580

Pack	Part #	HDI #
5	2270J	872581

Pack	Part #	HDI #
5	2271J	872582

Pack	Part #	HDI #
5	2272J	872583

**3-WAY BUTT CONNECTORS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

	Pack	Part #	HDI #
Vinyl	5	2165H	872184
Nylon	5	2175H	872188
Heat Shrink	5	2185H	872192

	Pack	Part #	HDI #
Vinyl	5	2166H	872185
Nylon	5	2176H	872189
Heat Shrink	5	2186H	872193

	Pack	Part #	HDI #
Vinyl	3	2167H	872186
Nylon	3	2177H	872190
Heat Shrink	5	2187H	872194

**4-WAY BUTT CONNECTORS****JT & T**

22-18AWG Red

16-14AWG Blue

12-10AWG Yellow

	Pack	Part #	HDI #
Vinyl	3	2265H	872201
Nylon	4	2275H	872204
Heat Shrink	5	2285H	872207

	Pack	Part #	HDI #
Vinyl	4	2266H	872202
Nylon	4	2276H	872205
Heat Shrink	5	2286H	872208

	Pack	Part #	HDI #
Vinyl	2	2267H	872203
Nylon	2	2277H	872206
Heat Shrink	5	2287H	872209





ELECTRICAL

Date: 01/05/15

BUTT CONNECTORS**JT & T**

24-22AWG Clear



	Pack	Part #	HDI #
Heat Shrink Crimp	5	2369J	872610

22-18AWG Red

	Pack	Part #	HDI #
Vinyl	100	2060C	872126
Vinyl	20	2060H	872127
Nylon	100	2065C	872134
Nylon	14	2065H	872135
Heat Shrink Crimp	5	2370J	872223
Heat Shrink Solder	5	2370B	872611
Heat Shrink Crimp & Solder	5	2242B	872573
Heat Shrink Insulated-Window Crimp	10	2970F	872641

16-14AWG Blue

	Pack	Part #	HDI #
Vinyl	100	2061C	872128
Vinyl	20	2061H	872129
Nylon	100	2066C	872136
Nylon	14	2066H	872137
Heat Shrink Crimp	3	2371J	872224
Heat Shrink Crimp	25	2371F	872656
Heat Shrink Solder	5	2371SB	872612
Heat Shrink Crimp & Solder	5	2241B	872572
Heat Shrink Insulated-Window Crimp	10	2971F	872642

12-10AWG Yellow

	Pack	Part #	HDI #
Vinyl	100	2062C	872130
Vinyl	50	2062F	872131
Vinyl	14	2062H	872132
Nylon	8	2067H	872138
Heat Shrink	4	2372J	872225
Heat Shrink Solder	4	2372SB	872613
Heat Shrink Crimp & Solder	4	2240B	872571
Heat Shrink Insulated-Window Crimp	10	2972F	872643

BUTT CONNECTORS COMBINATION PACK**JT & T**

22-10AWG

Pack	Part #	HDI #
17	2156H	872178
18	2155H	872177

**VINYL INSULATED STEP DOWN BUTT CONNECTORS****JT & T**

20-18 to 16-10AWG Blue



	Pack	Part #	HDI #
	2	2171H	872187
Heat Shrink Crimp	10	2261F	872577

16-14 to 12-10AWG Yellow

	Pack	Part #	HDI #
	2	2181H	872191
Heat Shrink Crimp	10	2262F	872578

12-10 to 8AWG Red

	Pack	Part #	HDI #
	2	2191H	872195
Heat Shrink Crimp	10	2263F	872579

HEAVY DUTY VINYL BUTT CONNECTOR**JT & T**

Description	AWG	Pack	Part #	HDI #
	8	2	2063H	872133
Heat Shrink Crimp	8	4	2260J	872576

SEAMLESS TUBULAR COPPER LUGS**JT & T**

3/8" Stud

AWG	Pack	Part #	HDI #
6	5	1305F	872046
4	5	1309F	872047
2	5	1314F	872048

**INSULATED TERMINAL PIGTAIL CONNECTOR****GB/NSI**

22-14AWG

	Pack	Part #	HDI #
	10	C22-N-10R	5135

22-10AWG

	Pack	Part #	HDI #
	10	20-090	5133

**NSI**

22-18AWG Red

	Pack	Part #	HDI #
Vinyl	10	B22-V-10R	5131

16-14AWG Blue

	Pack	Part #	HDI #
Vinyl	10	B16-V-10R	5129



12-10AWG Yellow

	Pack	Part #	HDI #
Vinyl	8	B12-V-8R	5127

**WIRE CLAMP WITH ADHESIVE BASE**
JT & T

ITEM	Pack	Part #	HDI #
Natural	50	284768-8	872364

**SANTOPRENE INSULATED
METAL CLAMPS**
JT & T

Item	Pack	Part #	HDI #
Cold rolled steel. 1/4" Mounting Hole			
1/2" (10 pc.)	1	4468F	872419
5/8" (10 pc.)	1	4470F	872420
3/4" (10 pc.)	1	4472F	872421
1" (10 pc.)	1	4476F	872422
10 pc. Assortment 1/4, 3/8, 1/2, 5/8, 3/4	1	4490F	872423

**NYLON CABLE CLAMPS**
JT & T

ITEM	Pack	Part #	HDI #
1/4" Natural (25 pc.)	1	4602C	872424
5/16" Natural (25 pc.)	1	4603H	872425
3/8" Natural (22 pc.)	1	4604H	872426
1/2" Natural (15 pc.)	1	4606H	872428
3/4" Natural (8 pc.)	1	4610H	872462
16 pc Assortment 1/8" - 1"	1	4654H	872645
18 pc Assortment 1/8", 1/4", 3/16"	1	4650H	872429

PLASTIC CABLE CLAMPS
NSI

ITEM	Pack	Part #	HDI #
Carded			
1/4" (18 pc.)	10	NC-250N-18R	5218
3/8" (15 pc.)	10	NC-375N-15R	5220

**FLUORESCENT NYLON CABLE TIES**
NSI

Sold/Price per Package or Bag

Color	FL-Orange	FL-Yellow	FL-Green	FL-Blue
4.0" Pk 25	418-16-25R 5323	418-17-25R 5324	418-18-25R 5325	418-20-25R 5326

Color	FL-Assorted	Color	FL-Assorted
4.0" Pk 100	418-AFT 5327	8.0" Pk 100	840-AFT 5332

Color	FL-Orange	FL-Yellow	FL-Green	FL-Blue
8.0" Pk 100	750-16 5328	750-17 5329	750-18 5330	750-20 5331

**NYLON CABLE TIES**
NSI

Sold/Price per Package or Bag

Color	Brown	Red	Orange	Yellow	Green
8.0" Pk 100	840-1 5315	840-2 5316	840-3 5317	840-4 5318	840-5 5319

Color	Blue	Purple	Grey
8.0" Pk 100	840-6 5320	840-7 5321	840-8 5322

JT & T

Color	Natural	Black	Red	Blue	Yellow
4.0" Pk 31	4701H 872433	4702H 872434	4701-2H 872430	4701-6H 872341	4701-7H 872432
5.5" Pk 25	4703H 872438	4704H 872439	4703-2H 872435	4703-6H 872436	4703-7H 872437
7.5" Pk 14	4705H 872443	4706H 872444	4705-2H 872440	4705-6H 872441	4705-7H 872442
11.5" Pk 14	4707H 872448	4708H 872449	4707-2H 872445	4707-6H 872446	4707-7H 872447

**STRIP-TIES HOOK & LOOP VELCRO
FASTENER W/BUCKLE**

JT & T



ITEM	Pack	Part #	HDI #
3/4" x 8" Black (8 pc.)	1	20-8-0	872141
3/4" x 8" Red (8 pc.)	1	20-8-2	872143
3/4" x 8" Blue (8 pc.)	1	20-8-6	872144
3/4" x 8" White (8 pc.)	1	20-8-9	872145
3/4" x 8" Neon Yellow (8 pc.)	1	20-8-13	872142
Asst 3 Red , 3 White, 2 Blue	1	20-8-296	872565

**NYLON CABLE TIES**


GB / KC / NSI

Sold/Price per Package or Bag

ITEM	Pack	Part #	HDI #
Black UV Protected			
4" x .10", 30 pk	1	4180-30R	5166
4" x .10", 100 pk	1	97086	5276
8" x .17", 15 pk	1	8400-15R	5167
8" x .17", 100 pk	1	8400-100R	5278
11" x .17", 8 pk	1	11500-8R	5168
11" x .17", 100 pk	1	11500-100R	5279
14" x .17", 8 pk	1	14500-8R	5169
14" x .17", 100 pk	1	14500-100R	5280
17" x .29", 100 pk	1	97091	5281
24" x .29", 50 pk	1	241750	5282
36" x .29", 50 pk	1	361750	5283
48" x .29", 50 pk	1	46-448UVB	5284
Natural			
4" x .10", 100 pk	10	418-100R	5191
4" x .10", 40 pk	25	418-40R	5170
8" x .17", 100 pk	10	840-100R	5195
8" x .17", 20 pk	25	840-20R	5175
11" x .17", 100 pk	10	1150-100R	5197
11" x .17", 12 pk	25	1150-12R	5185
14" x .17", 100 pk	10	1450-100R	5199
14" x .17", 8 pk	25	1450-8R	5180

**HEAVY DUTY NYLON & CABLE TIE GUN
JT & T**

Item	Pack	Part #	HDI #
For nylon cable ties with 18-175 lb. tensile strength and thickness up to 1.60mm (.063") and width from 2.20mm (0.086") to 7.50mm (0.295). Has an incremental tension adjustment dial along with a tension indicator. Cuts wire ties off to a smooth nub, leaving no sharp edges.	1	62-5023F	872646



TL-5-1



TL-ADJ5



MTKL-100



958



TL-RCR

CRIMPING/STRIPPER TOOLS

NSI

Item	Pack	Part #	HDI #
Crimper/Stripper Tool - For #10 - #22AWG solid or stranded, Cuts & rethreads 4/40, 6/32, 8/32, 10/32, 10/24 untempered bolts. Color coded for terminal crimping.	5	TL-5-1	5101
Wire Stripper - For 10-24AWG solid or stranded. 5" tool adjusts to eight wire sizes. Handy looping hole bends and loops wire for termination.	5	TL-ADJ5	5105
Stripping/Crimping Tool Kit - Contains multi-use stripper/crimper with 100 assorted terminals. Reusable plastic storage case	5	MTKL-100	5236
Cable Ripper - Slits outer covering of non-metallic cable. Checks wire gauges 6 to 14.	10	TL-RCR	55259

CHANNELLOCK

Item	Pack	Part #	HDI #
Wire Stripper Cutter - Handy, dual purpose wire tool. Strips insulation fast. Cuts wire cleanly. Plier nose pulls, loops wire ends. Highly visible wire gauge	5	958	695832
6" 10-20 AWG wire	5	908	550140
8" AWG 10-22 wire, Cuts bolt sizes: 10-24, 6-32, 8-32, 10-32, 4-40	5		

**CRIMPING/STRIPPER TOOLS**

JT & T

Item	Pack	Part #	HDI #
Deluxe Crimping Tool Cuts wire and strips 22-10 AWG wire. Crimps insulated terminals including 7mm ignition terminals. Cuts & re-threads machine screws.	1	5003F	872451
Ratchet Crimper Precise professional crimp guaranteed each time on insulated terminals only, 22-10 AWG, 1" length. Release controlled ratchet mechanism ensures consistent quality crimps.	1	5011F	872452
Stripper/Crimper - Automatically adjusts to strip 10 to 24 AWG or even smaller using a micro-adjust knob. Three different crimpers let you work with insulated terminals.	1	5020F	872453



ADHESIVE WIRE TIE MOUNTS

JT & T



ITEM	Pack	Part #	HDI #
50 lb. Ties - #8 Screw			
Natural	10	4735H	872450

VINYL GROMMETS

JT & T



BORE/GROOVE	Pack	Part #	HDI #
1/4" X 3/8" (13 pc.)	1	4402H	872412
3/8" x 1/2" (11 pc.)	1	4404H	872413
1/2" x 5/8" (7 pc.)	1	4405H	872414
11/16" x 1" (4 pc.)	1	4408H	872415

ASSORTMENTS	Pack	Part #	HDI #
1/4", 5/16", 3/8" (13 pc.)	1	4450H	872416
21/32", 7/8", 1", 1 3/8" (4 pc.)	1	4452H	872417
1/4" thru 7/8" (9 pc.)	1	4453H	872418

MULTIMETERS

NSI



TES-DT18



TES-MT12

Item	Pack	Part #	HDI #
Digital Multimeter 20 range - 6 functions. 10 Meg Ohm input imedance. AC to 500 volts. DC to 200mV. Durable, drop resistant. 3 1/2 digit display. Tight fit input jacks. Replaceable 26" test leads. Protective rubber boot with lead holders. Wrap around lead storage.			
	5	TES-DT18	5156
Analog Meter 12 range - 5 functions. AC to 300 volts. CD to 150mA. 1 Meg Ohm resistance. Rotary dial. Color coded analog scale. Replaceable test leads. Calibration screw. Fuse and diode protected.			
	5	TES-MT12	5158



TECHNICIAN'S POCKET TORCHES

JT & T

Item	Pack	Part #	HDI #
Perfect for heat shrink and heat shrink terminals, etc.			
Angled Head	1	5021F	872454



GAT-3400



TES-111



TES-122



GCT-3304

TESTERS

GB/NSI

Item	Pack	Part #	HDI #
Voltage Tester - Bright 360° visual indication. Alligator clip connects to ground. Long flexible test lead. Quick test automotive circuits for proper voltage. 6 - 12 Volt			
	5	GAT-3400	5100
Voltage Tester - Simple tool for testing greater than 80V AC/DC. Bright 360° visual indication. Compact size fits in pocket			
	5	TES-111	20081
Outlet Tester - Tests standard 3-prong outlets for proper wiring. Status chart. Indicating lamps indicate 5 common wiring errors. Comfortable contoured design			
	5	TES-122	5258
Continuity Tester - Full 360° visual indication. Long 36" test lead. Sharp tip to pierce wiring jacket. Operates from 2 AAA batteries. Flexible alligator tip.			
	10	GCT-3304	5257



TESTERS

JT & T

Item	Pack	Part #	HDI #
Pocket Automotive Tester Handy automotive ignition tester for checking automotive circuits. 12V test light and insulated clip.			
	1	233F	872220
Battery Analyzer/Tester Alternator and battery status indicator LED shows normal, low, or flat level charge. Magnetic strip on back for easy attachment to car body.			
	1	235F	872222

CIRCUIT TESTER



S-1235



BP914

MILTON

Item	Pack	Part #	HDI #
Micro-sharp tip for easy wire piercing with no wire damage and virtually a self-sealing hole. Includes the illustrated Electrical Trouble-Shooters Guide.			
S-1232 6-12 Volt	5	S-1235	580461

COOPER WIRING

Item	Pack	Part #	HDI #
Amber Circuit Tester - For testing electric circuits from 90 to 600 volt. Detects presence of power on either AC or DC circuits. Identifies circuit conductors.			
Twin Probe - Amber	5	BP914	20039